

Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र
GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP

Ref: GCNEP/MoEF/2018/07-42

Dated: 16/07/2018

To,

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030

Sub: Half-Yearly Compliance Report (Session: Jan 2018 to June 2018) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) a Village-Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,


This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards
2. Environmental monitoring report, along with necessary documents & annexures.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,
Yours Sincerely,



Anupam Sharma
Outstanding Scientist
Project Director, GCNEP
145A, South Block, New Delhi - 110011
Email: pd@gcneep.gov.in

अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- CC: 1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Member Secretary SEIAA, Bay No. 55-58, Parytan Bhawan 1st Floor, Sector-2, Panchkula, Haryana.

Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र
GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP

Ref: GCNEP/MoEF/2018/07-42

Dated: ~~16/07/2018~~ 8/8/2018

To,

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030

Sub: Half-Yearly Compliance Report (Session: Jan 2018 to June 2018) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) at Village-Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,


This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards
2. Environmental monitoring report, along with necessary documents & annexures.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,
Yours Sincerely,



Anupam Sharma
Outstanding Scientist
Project Director, GCNEP
145A, South Block, New Delhi - 110011
Email: pd@gcneep.gov.in

अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

प्राप्त किया/Received
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Min. of Environment, Forests & Climate Change
उत्तर क्षेत्रीय कार्यालय/Northern Regional Office
चण्डीगढ़/Chandigarh

- CC: 1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Member Secretary SEIAA, Bay No. 55-58, Parytan Bhawan 1st Floor, Sector-2, Panchkula, Haryana.



Government of India
Phone: +91 11 23792465

Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Ref: GCNEP/MoEF/2018/07-42

Dated: 16/07/2018

To,

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030

Sub: Half-Yearly Compliance Report (Session: Jan 2018 to June 2018) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) at Village-Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,

This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards
2. Environmental monitoring report, along with necessary documents & annexures.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,
Yours Sincerely,

Anupam Sharma
Outstanding Scientist
Project Director, GCNEP
145A, South Block, New Delhi - 110011
Email: pd@gcneep.gov.in



अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
ग्लोबल नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ हरियाणा / Bahadurgarh (Haryana)-124507

- CC: 1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Member Secretary SEIAA, Bay No. 55-58, Parytan Bhawan 1st Floor, Sector-2, Panchkula, Haryana.



Government of India
Phone: +91 11 23792465

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Ref: GCNEP/MoEF/2018/07-42

Dated: 16/07/2018

To,

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030

Sub: Half-Yearly Compliance Report (Session: Jan 2018 to June 2018) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) at Village-Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,

This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards
2. Environmental monitoring report, along with necessary documents & annexures.


We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,
Yours Sincerely,

Anupam Sharma
Outstanding Scientist
Project Director, GCNEP
145A, South Block, New Delhi - 110011
Email: pd@gcneep.gov.in

अनूपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- CC: 1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Member Secretary SEIAA, Bay No. 55-58, Parytan Bhawan 1st Floor, Sector-2, Panchkula, Haryana.



**HALF-YEARLY COMPLIANCE REPORT OF
STIPULATED ENVIRONMENTAL CONDITIONS/
SAFEGUARDS IN THE ENVIRONMENTAL
CLEARANCE**

FOR

**“Institutional Campus and
Residential Township for Global
Centre for Nuclear energy
Partnership (GCNEP)”**

At

**Village Kheri Jasaur and Jasaur Kheri,
Dist. Jhajjar,
Haryana**

For

**Global Centre for Nuclear energy
Partnership (GCNEP)**



श्री. एम. 4N,IPAW SHARMA
परियोजना निदेशक - Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
नियंत्रण विभाग, दिल्ली - 110011
संयोजक निदेशक - Executive Director

COMPLIANCE REPORT

HALF YEARLY COMPLIANCE OF STIPULATED
ENVIRONMENTAL CONDITIONS SAFEGUARDS IN THE
ENVIRONMENTAL CLEARANCE LETTER NO. SEIAA/HR/2014/1385

DATED 7th November 2014

FOR

INSTITUTIONAL CAMPUS AND RESIDENTIAL TOWNSHIP FOR GLOBAL
CENTER FOR NUCLEAR ENERGY PARTNERSHIP (GCNEP) AT VILLAGE-KHERI
JASUR AND JASUR KHERI, DISTT. JHAJJAR, HARYANA

PART A - SPECIFIC CONDITIONS: CONSTRUCTION PHASE

Condition 1: "Consent to Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water act and a copy shall be submitted to the SEIAA Haryana before the start of any construction work at the site.

Reply: Consent to Establish has been obtained from Haryana State Pollution Control Board for "Consent to Establish" under Air and Water Act vide letter no. HSPCB/Consent/2821215JHACTE1432687 dated 27.02.2015. Copy of CTE is enclosed as **Annexure I-A** CTE extension has been obtained for the period from 27.02.17 to 26.02.2019.

Condition 2: A first aid room as proposed in the project report shall be provided both during construction and operation phase of the project.

Reply: Agreed. First Aid Room is provided at Site by the Contractor. First Aid Facilities are available at DCS&EM Site Office. In case of Snake bite, the treatment can be availed from village hospital for which the facility is available at the hospital. Emergency vehicle is available at site at all working hours. We are doing routine medical check-up for the laborers those who are working at the construction site. Photograph showing First Aid room is attached as **Annexure II**.

Condition 3: Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the laborers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.

Reply: Agreed. Adequate Drinking Water facility is provided at Labour Hutments. Sanitary Arrangements are provided at labour Hutment Area & Site Offices. The open defecation by the

labors is strictly prohibited. The wastewater generated during construction phase is being sent to septic tanks. Photographs showing drinking water facility, toilets and septic tank are attached as **Annexure III.**

Left over cement and mortar, cement concrete blocks, aggregates, sand and other inorganic material are being recycled. Solid waste management plan is enclosed as **Annexure IV.**

Condition 4: All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.

Reply: Agreed. Top soil is preserved separately which will be used for landscaping. Small landscaping made in front of the office is made of top soil of Guest House Building. Photograph showing the top soil storage is enclosed as **Annexure V.**

Condition 5: The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

Reply: Agreed. No significant muck excavation is being done at the project site. Construction materials are being properly stored within project site. Cement Go-down for Cement Storage is available, store room at Township Site is made, store room at Campus Site is provided, and RMC Plant with partitions is also made. Photograph showing covered construction material enclosed as **Annexure VI.**

Condition 6: Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.

Reply: Agreed. Construction spoils such as bituminous material and other hazardous materials are not allowed to contaminate water course, dumpsite is being provided inside the boundary of the project site. Hazardous waste generated during construction phase, is being disposed of as per applicable rules and norms.

Condition 7: The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.

Reply: Agreed. Temporary Electrical connections are available for Major Construction Works. Two back up silent DG set is provided (82KVA + 40 KVA). BS-IV norm fuel is used (Available at Delhi & NCR Region). During construction phase DG sets are enclosed with acoustic enclosure installed on the Finn base to minimize vibration and noise. Results of Environmental monitoring carried out at the site for Air and Noise monitoring are enclosed as **Annexure VII**.

Condition 8: The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.

Reply: Agreed. D.G sets are used only for lighting purpose. The quantity of diesel required is very low. So, storage-of diesel is not proposed. No major storage is done at site. Maximum 100 Lit stored in enclosed store room. Photograph of the same is attached as **Annexure XXIII**.

Condition 9: Ambient noise levels should conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards.

Reply: Agreed. Ambient noise levels are monitored during day & night and conforming to standards. Base line + incremental load of Ambient Air Quality and Noise Level are being closely monitored during construction phase. Adequate measures have been adopted to reduce Ambient Air Quality Level and Noise Level during construction phase to conform to confirm to the stipulated standards. Ambient air quality report and noise monitoring report is enclose as **Annexure VII**.

Condition 10: Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003.

Reply: Fly ash based bricks is being used for the construction of walls. All Superstructure Masonary Works are built/being built with Fly ash bricks Photograph showing same is enclosed as **Annexure VIII**.

Condition 11: Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.

Reply: Agreed. Standards will be followed. Detailed design for storm water drains are carried out and these drains are being constructed.

Condition 12: Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices as referred.

Reply: Agreed. Ready mix concrete is used for all RCC works. No bore well is made at site. Photograph showing batching plant at site is shown as Annexure IX.

Condition 13: Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.

Reply: Agreed. Insulation (50mm thick Phenotherm board) material are being used at roof. Energy details is attached as Annexure X.

Condition 14: Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is inspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.

Reply: Agreed. Double walls are used on all outer walls (230 mm + 115 mm). Thermal insulation material is provided between these walls.

Condition 15: The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc as per National Building Code including protection measures from lightening etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.

Reply: Agreed. This is a project of Central Government, Department of Atomic Energy project. The project is conceived and detailed by in-house designers, adhering to in vogue safety and design standards. No forest land is involved in the project. Forest NOC is attached as Annexure XI.

Condition 16: The project proponent as stated in the proposal shall construct 50 rainwater harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pits. Maintenance

budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.

Reply: We will construct 50 rainwater harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits will be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pits.

Condition 17: The project proponent shall provide for adequate fire safety measures and equipments as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority/Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding fire safety scheme/NOC from competent Authority as required.

Reply: Agreed. Fire doors are constructed at staircases, Guest House corridor, Electrical panel rooms and AHU rooms. Smoke detector and wet risers with booster pumps and all firefighting accessories are available. Fire NOC from Fire station department is attached in Annexure XII.

Condition 18: The project proponent shall submit assurance from the HBVNL for supply of 1700 KVA of power supply before the start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.

Reply: Agreed. We have already obtained assurance from the UHBVNL for supply of 1700 kVA of power supply. Same is enclosed as Annexure XIII.

Condition 19: Detail calculation of power load and ultimate power load of the project shall be submitted to HBVNL under intimation to SEIAA Haryana before the start of construction. Provision shall be made for electrical infrastructure in the project area.

Reply: Agreed. We have already obtained required permission from HBVNL for supply of 1700 kVA power load for the Institution campus and residential township project.

Condition 20: The Project proponent shall not raise any construction in the natural lane depression/Nallah/Water course and shall ensure that the natural flow from the Nallah/Water course is not obstructed.

Reply: Agreed. Irrigation channel is preserved by Fencing works. Hume pipes are laid wherever necessary. Village panchayat has taken action to divert the drainage water from campus site. Additional storm water drain is constructed along the by-pass road at campus site.

अनुमोदित / ANUPAM SHARMA

परिचालन निदेशक / Project Director

शिक्षण प्रतिकरिता और संशोधन केंद्र, जी.सी.पी.ई.

जी.सी.पी.ई. परिसर / G.C.P.E. Page 6

राज्य शिक्षण / Sahaswara (Haryana) 124507

Condition 21: The project proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project as per prescribed bye-laws. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.

Reply: Agreed. Plinth levels are kept well above the surrounding levels (+101.45m). Level of approach road is kept above the maximum water level during rainy season.

Condition 22: Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Country Department Haryana.

Reply: Density of population will not exceed norms approved by Director General Town and Country Department Haryana due to the construction of project.

Condition 23: The Project Proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.

Reply: No bore well is dug at site for construction purpose. We are a government organization. We have submitted an undertaking stating that we will not use Ground water for construction. Same is attached as Annexure XIV.

Condition 24: The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.

Reply: Agreed. There is no requirement of cutting the trees, only small bushes have been cleared for construction activity.

Condition 25: The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.

Reply: Agreed. ECBC norms will be met. Building envelope, HVAC services, water heating, pumping, lighting electrical infrastructure will all be in energy efficient way and meet Energy conservation Building Code norms. LED/ CFL fixtures are used. Air conditioners are working on R-410 A.

Condition 26: The project proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.

Reply: Agreed. Masonary boundary wall is constructed all around the site and water sprinkling is being done to restrict dust and air pollution during construction. Photograph showing the same is enclosed as **Annexure XV** and **Annexure XVI** respectively.

Condition 27: The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.

Reply: Agreed. Sedimentation basin will be constructed.

Condition 28: The project proponent will provide proper *rasta* of proper width and proper strength for the project before the start of construction.

Reply: We have provided proper *rasta* of proper width and proper strength for the project before the start of construction. Same is enclosed as **Annexure XVII**.

Condition 29: The project proponent shall ensure that the U value of Glass is less than 3.177 and maximum solar heat gain coefficient is 0.25 for vertical fenestration.

Reply: Agreed. Hermetically sealed 38mm thick (12mm SGG cool lite platinum toughened glass + 18mm air gap + 8mm inner glass) with low U value glass for all structural glazing works is being used.

Condition 30: The project proponent shall adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project proponent shall provide respiratory protective equipments to all construction workers.

Reply: Agreed. Proper measures are being taken to control dust on the site like water sprinkling, covering construction material vehicles, the photograph of dust suppression using tractors is attached as **Annexure XVI**. Site barricading is being done so that dust does not spread outside premises which is attached as **Annexure XV**. We are providing mask and other personal protective equipment to the construction laborers.

Condition 31: The project proponent shall provide fire control room and fire officer for building above 30 m as per national Building Code.

Reply: The height of institutional and residential building is G+2 and G+ I, the height of the building will not be raised above 30m.

Condition 32: The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start of construction.

Reply: There is no basement provided in the project. If required at any stage, we will obtain permission from concerned department.

Condition 33: The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDN Local authorities beside other required services before taking up any construction activity.

Reply: Agreed.

Condition 34: The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.

Reply: The site for solid waste management plant has been earmarked on the layout plan. The same will be provided before operational stage. SitePlan is attached as Annexure XVIII.

Condition 35: The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.

Reply: We will discharge excess of treated waste water/storm water in the public drainage system. Application will be submitted to HUDA for drainage connection.

Condition 36: The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.

Reply: The project is being developed by Central Government, Department of Atomic Energy. The project is conceived and detailed by in-house designers, adhering to in vogue safety and design standards. All measures are being taken to ensure that building is earthquake resistant. All the provisions of IS 1893 & IS 13920 if followed in structural design.

Condition 37: The project proponent shall seek separate environment development of the remaining part of project as per the procedure laid notification under expansion after the approval of the competent authority in is obtained.

Reply: Agreed and will be complied with when necessary.

Condition 38: The project proponent shall be self integrated with respect to services infrastructure and shall be independent for all the purposes.

Reply: Agreed. STP treated water will be recycled within the project for flushing and horticultural purpose. Rainwater will be harvested to recharge ground water.



SPECIFIC CONDITIONS: OPERATION PHASE

Condition a: "Consent to operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.

Reply: Agreed. Consent to operate has also been obtained for GCNEP (Institute and Township) from Haryana State Pollution Control Board for "Consent to Operate" under Air and Water Act vide letter no. HSPCB/Consent/: 313116317JHACTO3849474 dated 07.08.2017. Copy of CTO is enclosed as Annexure I-B

Condition b: The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total Phosphorus to the extent of less than 2 mg/litre. Similarly total Nitrogen level shall be less than 2 mg/liter in tertiary treated waste water. Discharge of treated sewage shall conform to the norms and standards of CPCB/HSPCB, whichever is environmentally better. Project proponent shall implement such STP technology which does not require filter backwash.

Reply: Agreed. STP will be designed by specialized engineers of the Department. Tertiary treatment of waste water will be done, and the treated water will be reused in the project for horticulture and flushing.

Condition c: Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100 % gray water by decentralized treatment should be done ensuring that the re-circulated water should have BOD level less than 5 mg/liter and the recycled water will be used for flushing, gardening and DG set cooling etc.

Reply: Agreed. Dual Plumbing line will be used. The treated water from STP will be reused in the project for flushing and landscaping purposes.

Condition d: For disinfections of the treated waste water ultra violet radiation or Ozonization should be used.

Reply: Agreed. For disinfection of the treated water, ultra violet radiation will be used.

ANUPAM SHARMA

Condition e: Diesel power generating sets proposed as source of backup power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets should be in the basement as promised by the project proponent and appropriate stack height i.e., above the roof level as per the CpeB norms. The diesel used for DG sets should be of ultra-low sulphur diesel (35 ppm sulphur), instead of low sulphur diesel.

Reply: Agreed. D.G. sets to be used for power back up will be of enclosed type and confirmed rules made under the Environment (Protection) Act, 1986. The D.G. sets are run on BS-IV norm fuel (Available at Delhi & NCR Region)

Condition f: Ambient noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the proposed Institutional Campus and Residential Township.


Reply: Agreed. Proper mitigation measures as suggested in EMP report will be done to control noise level both during construction and operation phase and is ensured that it does not exceed the prescribed standards both within and at the boundary of the Commercial Colony.

Condition g: The project proponent as stated in the proposal shall maintain at least 32% for the institutional campus and 30.08% for residential township as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species so as to provide protection against particulars and noise. The open spaces inside the plot should be preferably landscaped and covered with vegetation/grass, herbs and shrubs. Only locally available plant species shall be used.

Reply: Agreed.

Condition h: The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.

Reply: Agreed. Minimum water will be used in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation.



Condition i: The ground water level and its quality should be monitored regularly in consultation with Central Ground water Authority.

Reply: Agreed.

Condition j: A report on the energy conservation measures conforming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology; R & U factors etc. and submit to the IA Division of Environment, Haryana in three months time.

Reply: Agreed.

Condition k: Energy conservation measures like installation of LEDs only for lighting the areas outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum extent possible for energy conservation.

Reply: Agreed. Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building is integral part of the project design and will place before project commissioning. Used CFLs and TFLs will be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Solar lighting will proposed for open spaces and signage.

Condition l: The project proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning. Project proponent shall also provide Halon free fire suppression system.

Reply: Agreed.

Condition m: The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be composted by vermin-composting at the site earmarked within the project area and dry/inert solid waste to be disposed off to the approved site for land filling after recovering recyclable material.

Reply: Agreed. Solid Waste Management Plan is attached as Annexure IV.

Condition n: The provision of solar water heating system shall be as per the norms specified by HAREDA and shall be made operational in each building block.

Reply: Agreed.

Condition o: The traffic plan and the parking plan proposed by the project proponent should be adhered to meticulously with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used.

Reply: Agreed. Traffic cum parking plan enclosed as Annexure XIX.

Condition p: The Project shall be operationalized only when HUDA/Local authority will provide domestic water supply system in the area.

Reply: Agreed.

Condition q: Operation and maintenance of STP, Solid waste management and electrical Infrastructure, pollution control measures shall be ensured.


Reply: Agreed. Operation and maintenance of STP, solid waste management and electrical infrastructure, pollution control measures will be completed after the completion of the unit.

Condition r: Different type of wastes should be disposed off as per the provision of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries and plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed off as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler/recycler as per existing E-waste Management Rules 2011.

Reply: Agreed. MSW will be disposed off as per provisions of municipal solid waste made under Environment Protection Act, 1986. Negligible quantity of Biomedical waste, Hazardous waste, e- waste, and plastic waste generated will be disposed off as per biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. E-waste and Battery waste will be disposed of as per existing E-waste Management Rules 2011 & its amendment and Batteries Management Rules 2001. A collection center will be maintained for E-waste collection and it will be disposed off to only registered and authorized dismantler/recycler.

Condition s: Standards for discharge of environmental pollutants as enshrined in various schedule of Rule 3 of Environment Protection Rule, 1986 shall be strictly complied with.

Reply: Agreed. As per Environment protection Rule 1986 standard for discharge of environment pollutant will be strictly complied.



Condition t: The project proponent shall make provision for guard pond and other provision for safety against failure in the operation of wastewater treatment facilities. The Project proponent shall also identify acceptable outfall for treated effluent.

Reply: Agreed. During failure of STP, automatic valves will be open and water will be drained out in sewerage system. Project proponent will provide guard pond.

Condition u: The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per CPCB latest standards for high capacity DO sets.

Reply: Agreed. DG Sets will have adequate stack height of 6m above maximum height of the building, and it will be ensured that emission standard of noise and air are within limits. No high capacity DG sets are being used in the project.

Condition v: All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to I at the point of connection.


Reply: Agreed.

Condition w: The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.

Reply: Agreed. The project proponent will minimize heat island effect through shading and reflective or pervious surface instead of hard surface.

Condition x: The project proponent shall not use fresh water for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.

Reply: Agreed.


ANAND KUMAR SHARMA
APPROPRIATE PERSON / Project Director
Global Centre for Nuclear Energy Partnership (GCNEP)
A.P. 1, Sector 1, Gurgaon, Haryana, India
91000 0000000 (Gurgaon/Haryana)-124

Condition y: The project proponent shall ensure that the transformer is constructed with high Quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.

Reply: Agreed. Transformer constructed of high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper will be used. The project proponent will obtain manufactures certificate at time of construction.

Condition z: Water supply shall be metered among different users and different utilities.

Reply: Agreed. Water supply will be metered among different users and different utilities.

Condition aa: The project proponent shall ensure that exit velocity from the stack should be Sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.

Reply: Agreed. Stack will be designed in such a way that there will not be stack down wash under any meteorological conditions.

Condition ab: The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.

Reply: Agreed.

Condition ac: The project proponent shall provide additional green area on terrace and roof top.

Reply: Agreed.

Condition ad: The project proponent shall ensure proper Air Ventilation and light system in the basements area for. comfortable living of human being and shall ensure that number of Air Changes per hour/ (ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.

Reply: Agreed.

Condition ae: The project proponent shall install solar panel for energy conservation.

Reply: Agreed.



PART B - GENERAL CONDITIONS

Condition 1: The project proponent shall ensure the commitments made in Form I, Form IA, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.

Reply: Agreed. The environmental safeguards contained in the EIA/EMP Report are being implemented in letter and spirit.

Condition 2: The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copy as well as by email) to the northern Regional Office of MoEF, the respective Zonal Office of CPCB, HSPCB and SEIAA, Haryana.

Reply: Agreed. Hard and soft copy of six monthly compliance reports will be submitted in the month of June & December every year. Receiving of December-2017 compliance submission is attached as Annexure-XXII.

Condition 3: STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3months, the project proponent shall conduct environmental audit and shall take corrective measures, if required, without delay.

Reply: Agreed. Hard and soft copy of six monthly compliance reports will be submitted in the month of June & December every year. Receiving of December-2017 compliance submission is attached as Annexure-XXII

Condition 4: The SEIAA, Haryana reserves the right to add additional safeguards measures subsequently, if found necessary. Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.

Reply: Agreed.

Condition 5: The project proponent shall not violate any judicial orders/pronouncement issued by any court/tribunal.

Reply: Agreed. Any judicial orders/pronouncement issued by any court/tribunal will not be violated by us.

Condition 6: All other statutory clearances such as the approvals for storage of diesel from chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest conservation Act 1980 and Wildlife (Protection) Act, 1972, PLPA, 1900 etc. shall be obtained as, applicable by Project proponents from the respective authorities prior to construction of the project.

Reply: Agreed. All the required applicable clearances have been taken from the respective authority. Forest NOC is enclosed as **Annexure XI** & Fire NOC is enclosed as **Annexure XII**.

Condition 7: The project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same be forwarded to SEIAA Haryana. A copy of Environment Clearance collections shall also be put on project proponent's website for public awareness.

Reply: Agreed. Advertisement copy is enclosed as **Annexure XX**.

Condition 8: Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining Environmental Clearance.

Reply: Agreed. Construction will be started only after obtaining Environment Clearance from State Environment Impact Assessment Authority, Haryana vide letter no. SEIAA/HRI/2014/1385 Dated 07.11.2014. Copy of EC Letter is enclosed as **Annexure XXI**.

Condition 9: Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Reply: Agreed.

Condition 10: The project proponent shall put in place Corporate Environment policy as mentioned in MoEF, GoI OM No. J-II/OI3/4112006-IA II (I) dated 26.4.2012 within 3 months period. Latest corporate Environment policy should be submitted to SEIAA within 3 months of issuance of this letter.

Reply: Agreed. We being a Department of Government of India, hence Corporate Environment Policy is not applicable. Instead under Entry Point Activities, the proponent has earmarked Rs. 10.0 Crore for development in neighborhood area which includes some

of the specific project on environmental protection like (i) Bhindawas (Jhajjar) Bird Sanctuary, (ii) Desalination plant for village Jasaur-Kheri. The other activity includes Construction of Girls Degree College in village Jasaur Kheri (GCNEP project site village). The proponent has committed a onetime grant of Rs 150 lakh for this activity and has already contributed Rs. 50 Lakh.

Condition 11: The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF GOI under rules prescribed for Environment Audit.

Reply: Agreed. The fund earmarked for environment protection measures kept in separate account and will not be diverted for other purposes and year wise expenditure will be reported to the SEIAA/RO MoEF GOI under rules prescribed for Environment Audit.

Condition 12: The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O. 121/PA2/1900/S.4/97 dated 28.11.1997.

Reply: Agreed.

Condition 13: The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid 'Pollution Under Control' certificate from competent Authority.

Reply: Agreed. Only valid 'Pollution under Control' certificate vehicles will be allowed to enter the project site during construction to carry construction material and as well as operation phase.

Condition 14: The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.

Reply: Agreed. Fresh Environment clearance will be taken if at any stage there is change in the planning of the proposed project.

Condition 15: Nodal Officer (Project Director) nominated by GCNEP shall be responsible for implementation of all conditions of Environmental Clearance letter.

Reply: Agreed.

Condition 16: The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels

namely; PM2.5, PM10, SO_x, NO_x, Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company In the public domain.


Reply: Agreed.

Condition 17: The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Reply: Agreed.

Condition 18: The project proponent shall conduct environment audit at every three months Interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.

Reply: Agreed.


अनूपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507





HARYANA STATE POLLUTION CONTROL BOARD C-11, SECTOR-6, PANCHKULA

Website - www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Telephone No. - 0172-2577870-73

No. HSPCB/Consent/ : 2821215JHACTE1432687

Dated: 27/02/2015

To

M/s : Global Centre for Nuclear Energy Partnership (Institute & Township)
Vill. Jasuar Kheri & Kheri Jasaur, Tel Bahadurgarh
JHAJJAR
124505

Sub. : Issue of Consent to Establish from pollution angle .

Please refer to your Consent to Establish application received in this office on the subject noted above. Under the Authority of the Haryana State Pollution Control Board vide its agenda Item No. 47.8 dated 28.04.83 sanction to the issue of "Consent to Establish" with respect to pollution control of Water and Air is hereby accorded to the unit Global Centre for Nuclear Energy Partnership (Institute & Township), for manufacturing of / Unit is a proposed institutional campus and residential township with proposing the scheme of STP of 106.4 KLD for the treatment of D.E. with the following terms and conditions:-

1. The industry has declared that the quantity of effluent shall be 106.4 KL/Day i.e. 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 106.4 KL/Day for Domestic and the same should not exceed .
2. The above "Consent to Establish" is valid for 24 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.

अनुपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक / Project Director

गैरिक्त नामिकीय उर्जा साङ्गरी केंद्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

प.ऊ.वि., भारत सरकार / D.A.E., Government of India

बहदुरगढ़ हरियाणा / Bahadurgarh (Haryana)-124507

20

9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.

Specific Conditions



अनूपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / P.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- 1 Green belt of adequate width shall be provided by the unit.
- 2 Unit will not discharge any trade effluent & will not use any source of emissions
- 3 Unit shall obtain trial consent to operate before start of production
- 4 The unit shall dispose plastic waste only to authorised agency for disposal of plastic waste by any state pollution control board

Other Conditions :

unit will comply with the conditions of Env Clearance granted

*Senior Scientist, HQ
For and on behalf of chairman
Haryana State Pollution Control Board*

---It is system generated certificate no signature is required---



अनूपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
गैलिक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
डी.जे.ए.ई., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124307



HARYANA STATE POLLUTION CONTROL BOARD

SCF No. 42 & 43, Shopping Centre, Sector-6,
Huda, Bahadurgarh Ph. 01276-243077 (O)

E-mail: hspcb.pkl@sify.com



No. HSPCB/Consent/ : 313116317JHACTO3849474

Dated:07/08/2017

To.

M/s :Global Centre for Nuclear Energy Partnership (Institute and Township)
Village Jasuar Kheri and Kheri Jasaur, Tel Bahadurgarh

Subject: Grant of consent to operate to M/s Global Centre for Nuclear Energy Partnership (Institute and Township).

Please refer to your application no. 3849474 received on dated 2017-03-22 in regional office Bahadurgarh. With reference to your above application for consent to operate, M/s Global Centre for Nuclear Energy Partnership (Institute and Township) is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	27/02/2017 - 31/03/2018
Industry Type	Building and construction project having more than 20,000 sq. m built up area having quantity of waste water generation 10 KLD to 100 KLD
Category	ORANGE
Investment(In Lakh)	12750.0
Total Land Area(Sq. meter)	463900.0
Total Builtup Area(Sq. meter)	7060.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	16.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	USED FOR GARDENING AFTER TREATMENT FROM STP
2. Trade	--
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Trade Effluent Parameters	
1. NA	
Number of stacks	2
Height of stack	
1. DG1	5 meters
2. DG2	5 meters

अनूपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director

गैरिक्त नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
ए.डी.ए., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Emission parameters	
1. NA	
Product Details	
1. NA being residential township and institution	Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diésel	0.460 KL/day
Raw Material Details	
NA	Metric Tonnes/Day

*Regional Officer, Bahadurgarh
Haryana State Pollution Control Board.*

Terms and conditions


1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.


HARYANA STATE Specific Conditions :

- (1) Unit will submit request for sampling of the STP to Regional office and submit the analysis report of the STP from boards lab within 90 days from the date of grant of the CTO.
2. The unit will apply next CTO 90 days in advance of the expiry of the present CTO.

*Regional Officer, Bahadurgarh
Haryana State Pollution Control Board.*


 अनुपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Annexure II: First Aid Room




 Mr. Anshuman Sharma
 Director, Energy & Power Division
 Ministry of Power, Government of India
 New Delhi, India
 110002

25


Annexure III



Drinking Water

A. Shams

Joint Director, Energy Division
Ministry of Energy, Government of India
New Delhi-110002
Joint Director, Energy Division, GOA
Government of India
Panaji-560001



Toilet Facilities



Septic Tank

[Handwritten Signature]

श्रीमद् एम्. एन. जयम शर्मा

प्रियंका मिश्रा - Project Director

एशियन न्यूक्लियर ऊर्जा साझेदारी कार्यक्रम (ANUP) के तहत

अस-अस-अस न्यूक्लियर एनर्जी पार्टनरशिप (GCHP)

एन.ए.ए. सरकार - U.A.E. Government of India

बंगलुरु, भारत - Bangalore (Karnataka) 56007

SOLID WASTE MANAGEMENT PLAN

Solid waste would be generated both during the construction as well as during the operation phase. The solid waste expected to be generated during the construction phase will comprise of excavated materials, used bags, bricks, concrete, MS rods, tiles, wood etc. The following steps are proposed to be followed for the management solid waste:

- Construction yards are proposed for storage of construction materials.
- The excavated material such as topsoil and stones will be stacked for reuse during later stages of construction
- Excavated top soil will be stored in temporary constructed soil bank and will be reused for landscaping of the Residential Group Housing Colony project.
- Remaining soil shall be utilized for refilling / road work / rising of site level at locations/ selling to outside agency for construction of roads etc.





Figure 1: Solid Waste Management Scheme (Construction Phase)

During the operation phase, waste will comprise domestic as well as agricultural waste. The solid waste generated from the project shall be mainly domestic waste and estimated quantity


 अनुपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 न.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

of the waste shall be approx. 1530 kg per day (@ 0.5 kg per capita per day for residents and students, @ 0.15 kg per capita per day for the visitor, 0.25 kg per capita per day for the staff members and landscape wastes @ 15 kg/acre/day). Following arrangements will be made at the site in accordance to Municipal Solid Wastes (Management and Handling) Rules, 2000 and amended Rules, 2008.

❖ **Collection and Segregation of waste**

1. A door to door collection system will be provided for collection of domestic waste in colored bins from household units.
2. The local vendors will be hired to provide separate colored bins for dry recyclables and Bio-Degradable waste.
3. For commercial waste collection, adequate number of colored bins (Green and Blue & dark grey bins— separate for Bio-degradable and Non Bio-degradable) are proposed to be provided at the strategic locations of the commercial area.
4. Litter bin will also be provided in open areas like parks etc.

❖ **Treatment of waste**

• **Bio-Degradable wastes**


1. Bio-degradable waste will be subjected to vermicomposting and the compost will be used as manure.
2. STP sludge is proposed to be used for horticultural purposes as manure.
3. Horticultural Waste is proposed to be composted and will be used for gardening purposes.

• **Recyclable wastes**

- i. **Grass Recycling** – The cropped grass will be spread on the green area. It will act as manure after decomposition.
- ii. Recyclable wastes like paper, plastic, metals etc. will be sold off to recyclables.

❖ **Disposal**

Recyclable and non-recyclable wastes will be disposed through Govt. approved agency. Hence, the Municipal Solid Waste Management will be conducted as per the guidelines of Municipal Solid Wastes (Management and Handling) Rules, 2000 and amended Rules, 2008. A Solid waste management Scheme is depicted in the following figure for the Residential Group Housing Colony Project.


 अनुपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124137






Figure 2: Solid Waste Management Scheme (Operation Phase)

(Signature)
 अनुपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.ओ.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.ई., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

ANNEXURE V: PHOTOGRAPH SHOWING STORAGE OF TOP SOIL



अनुपम शर्मा ANUPAM SHARMA
परियोजना निदेशक Project Director
वैश्व नाभिकीय ऊर्जा साझेदारी केंद्र (जी सी एन ई पी)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
राज्य सरकार C.A.E. Government of India
बहादुरगढ़ (हरियाणा) Bahadurgarh (Haryana) 124507




अनूपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक - Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (वी.सी.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
ए.डी.ए. सरकार, ए.डी.ए., Government of India

ANNEXURE VI: COVERED CONSTRUCTION MATERIAL



A. Shams

YHJH FQ ANUPAN SHARKA

পরিচালক/নির্বাহক Project Director

विषय : विज्ञान एवं प्रौद्योगिकी

2002 Letter to Nuclear Energy Partnership (CENEP)

© 2014 by Nuclear Energy Research Institute, P.O. Box 107, Beijing 100840, China
E-mail: jiaojiao@caep.cn, CAEP, Government of India

[illegible]

Test Report

Report Code: A20180329-022

Issue Date: 29.03.2018

Issued To: Expansion of Institutional Campus & Residential,
Township (GCNEP) Vill-Kheri Jasaur Jhajjar.HR.

Analysis Duration: 05.03.2018 to 28.03.2018

Sample Description: Ambient Air

RESULTS**Ambient Air Quality Analysis****SAMPLING DETAILS**

Sampling Location	: Project Site
Sample Collected by	: Mr. Rahul Singh
Sampling Protocol	: GRC/LAB/STP/AIR/01
Weather Condition	: Clear Sky
Sampling Duration	: 24 Hours
Sampling Duration for CO	: 1 Hour
Sampler Location w.r.t. Height	: 4.0 Meter above Ground Level
Sample Packing & Marking	: Plastic Bottle / Zip Polybag & GCNEP/MAR/A001-008

Test Parameter

S. No.	Date	Particulate Matter (PM2.5); $\mu\text{g}/\text{m}^3$	Particulate Matter (PM10); $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO_2); $\mu\text{g}/\text{m}^3$	Nitrogen Dioxide (NO_2); $\mu\text{g}/\text{m}^3$	Carbon Monoxide, (CO) $\mu\text{g}/\text{m}^3$
		GRC/LAB/STP/AIR/03, Gravimetric Method	IS 5182 (Part 23):2006	IS 5182 (Part 2):2001, Reaff.2006	IS 5182 (Part 6):2006	IS 5182 (Part 10):1999, Reaff. 2003
1	03.03.2018	144.6	240.9	16.3	40.4	1530
2	07.03.2018	137.8	212.8	19.9	33.7	1600
3	10.03.2018	139.4	225.2	19.1	40.0	1710
4	13.03.2018	135.8	212.7	21.8	30.3	1670
5	16.03.2018	148.7	239.6	18.1	36.2	1280
6	19.03.2018	119.2	219.0	13.2	33.4	1360
7	22.03.2018	106.3	175.2	15.7	39.8	1440
8	25.03.2018	115.6	191.6	14.0	24.3	1330

****End of Report****

अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director

केन्द्रीय पर्यावरण प्रदूषण नियंत्रण बोर्ड (सी.पी.एन.डी.पी.)

Authorized Signatory
(Seal & Signature)

Note:

1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product.
2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
3. This certificate shall not be used in any advertising medium as evidence in the Court of Law without prior written consent of the laboratory.
4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report**Report Code: W20180318-022****Issue Date: 18.03.2018**

Issued To : Expansion of Institutional Campus & Residential,
 Township (GCNEP) Vill-Kheri Jasaur Jhajjar. HR

Sample Received on: 05.03.2018**Analysis Duration: 05.03.2018 to 17.03.2018****Sample Description:** Ground Water**RESULTS****Water Quality Analysis****SAMPLING DETAILS**

Date of Sampling	: 04.03.2018
Sampling Location	: Near Project Site
Sample Collected by	: Mr. Rahul Singh
Sampling Protocol	: IS-3025(Pt-1)-1987 Reaff: 2003 & IS-1622-1981(Reaff:2003)
Weather Condition	: Clear Sky
Sample Quantity	: 5 L+500 ml
Sample Packing & Mark	: Plastic/ Glass Bottle & GCNEP/MAR/GW1

S. No.	Parameters	Units	Limits (as per IS:10500-2012)		Results	Test Method
			Desirable Limit	Permissible Limit		
1	Color	Hazen	5	15	<5	IS : 3025(Pt-4) 1983, Reaff. 2003
2	Odour	-	Agreeable	Agreeable	Agreeable	IS : 3025(Pt-5) 1983, Reaff. 2002
3	Taste	-	Agreeable	Agreeable	Agreeable	IS : 3025(Pt-8)-1984, Reaff. 2006
4	Turbidity	NTU	1	5	2	IS : 3025(Pt-10)-1984, Reaff. 2006
5	pH	-	6.5-8.5	No Relaxation	8.09	IS : 3025(Pt-11)1983, Reaff. 2002
6	Total Hardness (as CaCO ₃)	mg/l	200	600	456	IS : 3025(Pt-21)1983, Reaff. 2009
7	Iron (as Fe)	mg/l	0.3	No Relaxation	0.21	APHA 22 nd Ed., 3120B (ICP-OES)/ 3111B (AAS),
8	Chlorides (as Cl)	mg/l	250	1000	350	IS : 3025(Pt-32)1988, Reaff. 2003
9	Fluoride (as F)	mg/l	1	1.5	1.1	APHA 22 nd Ed., 4500F(D)
10	TDS	mg/l	500	2000	1404	IS : 3025(Pt-16)1984, Reaff. 2006
11	Calcium (as Ca ²⁺)	mg/l	75	200	109	IS : 3025(Pt-40)1991, Reaff. 2003
12	Magnesium (as Mg ²⁺)	mg/l	30	100	45	APHA 22 nd Ed., 3500-Mg (B)
13	Copper (as Cu)	mg/l	0.05	1.5	0.02	APHA 22 nd Ed., 3120 B (ICP-OES)/ 3111B (AAS)
14	Manganese(as Mn)	mg/l	0.1	0.3	0.06	APHA 22 nd Ed., 3120 B (ICP-OES)/ 3111B(AAS)
15	Sulphate (as SO ₄)	mg/l	200	400	146	IS : 3025(Pt-24)1986, Reaff. 2003
16	Nitrate(as NO ₃)	mg/l	45	No Relaxation	27	IS : 3025(Pt-34)1988, Reaff. 2003


 अनुपम शर्मा / ANUPAM SHARMA

प्रियोजना निदेशक / Project Director

भारतीय परमाणु ऊर्जा आयोग (जी.सी.ए.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

ए.डी.ए. नगर सरकार / D.A.E., Government of India


 Authorized Signatory
 (Seal & Signature)

Note: 1. The results indicated only refer to the tested samples and listed parameters and not to any product.


2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report**Report Code: W20180318-022****Issue Date: 18.03.2018**

17	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.001	APHA 22 nd Ed., 5530 (c)
18	Mercury (as Hg)	mg/l	0.001	No Relaxation	<0.001	APHA 22 nd Ed. 3120 B (ICP-OES-VGA), 3112 (AAS-VGA)
19	Cadmium (as Cd)	mg/l	0.003	No Relaxation	<0.01	APHA 22 nd Ed., 3120 B (ICP-OES)/3111B (AAS)
20	Selenium (as Se)	mg/l	0.01	No Relaxation	<0.01	APHA 22 nd Ed., 3120 B(ICP-OES)/ 3114, AAS-VGA
21	Arsenic (as As)	mg/l	0.01	0.05	<0.01	APHA 22 nd Ed., 3120 B(ICP-OES)/ 3114, AAS-VGA
22	Cyanide (as CN)	mg/l	0.05	No Relaxation	<0.01	APHA 22 nd Ed., 4500 CN
23	Lead (as Pb)	mg/l	0.01	No Relaxation	<0.01	APHA 22 nd Ed., 3120 B(ICP-OES)/3111B AAS
24	Zinc (as Zn)	mg/l	5	15	0.4	APHA 22 nd Ed., 3120 B (ICP-OES)/ 3111 B (AAS)
25	Anionic Detergent (as MBAS)	mg/l	0.2	1	<0.01	APHA 22 nd Ed., 5540 (c)
26	Chromium (as Cr ⁶⁺)	mg/l	0.05	No Relaxation	<0.01	IS : 3025(Pt-52)-2003
27	Mineral oil	mg/l	0.5	No Relaxation	<0.1	IS: 3025(Pt-39)1991, Reaff. 2003
28	Alkalinity (as CaCO ₃)	mg/l	200	600	498	IS: 3025(Pt-23)1986, Reaff. 2003
29	Aluminum (as Al)	mg/l	0.03	0.2	<0.02	APHA 22 nd Ed3120 B (ICP-OES)/ 3111 B (AAS)/IS 3025 (pt-55)2003
30	Boron (as B)	mg/l	0.5	1	0.2	IS: 3025(Pt-57):2005, APHA 22 nd Ed., 3120 B(ICP-OES)
Bacteriological Parameters						
1	Total Coli form	MPN/100ml	Shall Not Be Detectable	ND (<2)	IS : 1622-1981 (Reaff.2003)	
2	<u>E.coli</u>	<u>E.coli</u> /100ml	Shall Not Be Detectable	Absent	IS : 1622-1981 (Reaff.2003)	

**** End of Report ****


अनूपम शर्मा / ANUPAM SHARMA


परियोजना निदेशक / Project Director

वैश्व नैतिक ऊर्जा सहयोगी केंद्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

रा. वि. मंत्रालय सरकार / D.A.E., Government of India

बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507



- Note: 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product.
 2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
 3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.
 4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report

Report Code: S20180316-022

Issue Date: 16.03.2018

Issued To: Expansion of Institutional Campus & Residential,
Township (GCNEP)Vill-Kheri Jasaur Jhajjar.HR.

Sample Received on: 06.03.2018

Sample Description: Soil

Analysis Duration: 06.03.2018 to 15.03.2018

RESULTS**Soil Quality Analysis****SAMPLING DETAILS**

Date of Sampling	: 05.03.2018
Sampling Location	: Project Site
Sample Collected by	: Mr. Rahul Singh
Sampling Protocol	: GRC/LAB/STP/SOIL/01
Weather Condition	: Clear Sky
Sample Quantity	: 5 kg
Sample Packing & Marking	: Zip Polybag; GCNEP/MAR/SQ1

S. No.	Parameters	Units	Results	Test Method
	Texture	-	Sandy Loam	
1	Sand	%	59.3	IS: 2720 (part-4), 1985 (Reaff:2006)
	Silt	%	22.0	
	clay	%	18.7	
2	pH (1:2)	-	7.89	IS: 2720 (part-26), 1987 (Reaff:2007)
3	Electrical Conductivity (1:2)	µmhos/cm	415	IS: 14767(2002)
4	Cation exchange capacity	meq/100 gm	14.4	IS : 2720 (Part-24)-1976(Reaff.2005)
5	Exchangeable Potassium	meq/100 gm	0.39	GRC/LAB/STP/SOIL/07
6	Exchangeable Sodium	meq/100 gm	0.61	GRC/LAB/STP/SOIL /06
7	Exchangeable Calcium	meq/100 gm	9.85	GRC/LAB/STP/SOIL/ 08
8	Exchangeable Magnesium	meq/100 gm	3.52	GRC/LAB/STP/SOIL/ 08
9	Sodium Absorption Ratio	-	0.75	GRC/LAB/STP/SOIL/20
10	Water Holding Capacity	%	25.7	GRC/LAB/STP/SOIL/13
11	Porosity	%	37.5	GRC/LAB/STP/SOIL/19
12	Permeability	cm/hrs	2.5	IS : 2720 (Part-17)-1986(Reaff.2002)
13	Total kjehdahl Nitrogen	%	0.039	GRC/LAB/STP/SOIL/18
14	Phosphorus(Olsen's)	mg/kg	7.8	GRC/LAB/STP/SOIL/10
15	Organic Matter	%	0.32	IS : 2720 (Part-22)-1972(Reaff.2006)

****End of Report****


ANUPAM SHARMA
प्रियोजना निदेशक / Project Director



Authorized Signatory
(Seal & Signature)

केन्द्रीय पर्यावरण एवं ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

Note: 1. The results indicated only refer to the tested samples and listed parameters and do not constitute a warranty of the laboratory of India

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory of India

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory


4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report**Report Code: N20180307-022****Issue Date: 07.03.2018****Issued To :** Expansion of Institutional Campus & Residential,
Township (GCNEP)Vill-Kheri Jasaur Jhajjar.HR**Data Received on:** 06.03.2018**Sample Description:** Ambient Noise**RESULTS****Ambient Noise Level****MONITORING DETAILS**

Date of Monitoring	: 05.03.2018
Monitoring Done by	: Mr. Rahul Singh
Monitoring Protocol	: GRC/LAB/STP/NOISE/01
Weather Condition	: Clear Sky
Monitoring Duration	: 24 Hours

S. No.	LOCATION	ZONE	Limit for As Per E(P)A,1986 ; Leq, dB (A)		Observed Value Leq, dB (A)	
			Day Time*	Night Time**	Day Time*	Night Time**
1	Project Site	Commercial Area	65	55	59.5	50.4
	* Day Time	6.00 a.m. to 10.00 p.m				
	**Night Time	10.00 p.m. to 6.00 a.m.				


****End of Report****


 ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प्र.ऊ.वि. भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507


 Authorized Signatory
 (Seal & Signature)

- Note: 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product
 2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
 3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory
 4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

ANNEXURE VIII




श्रीमान् ANUPAM SHARMA
परियोजना निदेशक Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र ऑफ इंडिया
a Centre for Nuclear Energy Partnership (C.N.E.P.)
उ.रि. भारत सरकार C.N.E. Government of India
बाहदुरपुर (मिडिया) Bahadurpur, Meerut-245507

ANNEXURE IX



Cement storage



Batching Plant

A. D. Jones

॥ श्री गुरुभ्यो नमः ॥
 श्री गुरुभ्यो नमः श्री गुरुभ्यो नमः

[illegible]

2008 The Center for Nuclear Energy, Partnership 12 C.N.E.P.

1980-1981, 1982-1983, 1984-1985, 1986-1987, 1988-1989, 1990-1991, 1992-1993, 1994-1995, 1996-1997, 1998-1999, 2000-2001, 2002-2003, 2004-2005, 2006-2007, 2008-2009, 2010-2011, 2012-2013, 2014-2015, 2016-2017, 2018-2019, 2020-2021, 2022-2023, 2024-2025, 2026-2027, 2028-2029, 2030-2031, 2032-2033, 2034-2035, 2036-2037, 2038-2039, 2040-2041, 2042-2043, 2044-2045, 2046-2047, 2048-2049, 2050-2051, 2052-2053, 2054-2055, 2056-2057, 2058-2059, 2060-2061, 2062-2063, 2064-2065, 2066-2067, 2068-2069, 2070-2071, 2072-2073, 2074-2075, 2076-2077, 2078-2079, 2080-2081, 2082-2083, 2084-2085, 2086-2087, 2088-2089, 2090-2091, 2092-2093, 2094-2095, 2096-2097, 2098-2099, 2100-2101, 2102-2103, 2104-2105, 2106-2107, 2108-2109, 2110-2111, 2112-2113, 2114-2115, 2116-2117, 2118-2119, 2120-2121, 2122-2123, 2124-2125, 2126-2127, 2128-2129, 2130-2131, 2132-2133, 2134-2135, 2136-2137, 2138-2139, 2140-2141, 2142-2143, 2144-2145, 2146-2147, 2148-2149, 2150-2151, 2152-2153, 2154-2155, 2156-2157, 2158-2159, 2160-2161, 2162-2163, 2164-2165, 2166-2167, 2168-2169, 2170-2171, 2172-2173, 2174-2175, 2176-2177, 2178-2179, 2180-2181, 2182-2183, 2184-2185, 2186-2187, 2188-2189, 2190-2191, 2192-2193, 2194-2195, 2196-2197, 2198-2199, 2200-2201, 2202-2203, 2204-2205, 2206-2207, 2208-2209, 2210-2211, 2212-2213, 2214-2215, 2216-2217, 2218-2219, 2220-2221, 2222-2223, 2224-2225, 2226-2227, 2228-2229, 2230-2231, 2232-2233, 2234-2235, 2236-2237, 2238-2239, 2240-2241, 2242-2243, 2244-2245, 2246-2247, 2248-2249, 2250-2251, 2252-2253, 2254-2255, 2256-2257, 2258-2259, 2260-2261, 2262-2263, 2264-2265, 2266-2267, 2268-2269, 2270-2271, 2272-2273, 2274-2275, 2276-2277, 2278-2279, 2280-2281, 2282-2283, 2284-2285, 2286-2287, 2288-2289, 2290-2291, 2292-2293, 2294-2295, 2296-2297, 2298-2299, 2300-2301, 2302-2303, 2304-2305, 2306-2307, 2308-2309, 2310-2311, 2312-2313, 2314-2315, 2316-2317, 2318-2319, 2320-2321, 2322-2323, 2324-2325, 2326-2327, 2328-2329, 2330-2331, 2332-2333, 2334-2335, 2336-2337, 2338-2339, 2340-2341, 2342-2343, 2344-2345, 2346-2347, 2348-2349, 2350-2351, 2352-2353, 2354-2355, 2356-2357, 2358-2359, 2360-2361, 2362-2363, 2364-2365, 2366-2367, 2368-2369, 2370-2371, 2372-2373, 2374-2375, 2376-2377, 2378-2379, 2380-2381, 2382-2383, 2384-2385, 2386-2387, 2388-2389, 2390-2391, 2392-2393, 2394-2395, 2396-2397, 2398-2399, 2400-2401, 2402-2403, 2404-2405, 2406-2407, 2408-2409, 2410-2411, 2412-2413, 2414-2415, 2416-2417, 2418-2419, 2420-2421, 2422-2423, 2424-2425, 2426-2427, 2428-2429, 2430-2431, 2432-2433, 2434-2435, 2436-2437, 2438-2439, 2440-2441, 2442-2443, 2444-2445, 2446-2447, 2448-2449, 2450-2451, 2452-2453, 2454-2455, 2456-2457, 2458-2459, 2460-2461, 2462-2463, 2464-2465, 2466-2467, 2468-2469, 2470-2471, 2472-2473, 2474-2475, 2476-2477, 2478-2479, 2480-2481, 2482-2483, 2484-2485, 2486-2487, 2488-2489, 2490-2491, 2492-2493, 2494-2495, 2496-2497, 2498-2499, 2500-2501, 2502-2503, 2504-2505, 2506-2507, 2508-2509, 2510-2511, 2512-2513, 2514-2515, 2516-2517, 2518-2519, 2520-2521, 2522-2523, 2524-2525, 2526-2527, 2528-2529, 2530-2531, 2532-2533, 2534-2535, 2536-2537, 2538-2539, 2540-2541, 2542-2543, 2544-2545, 2546-2547, 2548-2549, 2550-2551, 2552-2553, 2554-2555, 2556-2557, 2558-2559, 2560-2561, 2562-2563, 2564-2565, 2566-2567, 2568-2569, 2570-2571, 2572-2573, 2574-2575, 2576-2577, 2578-2579, 2580-2581, 2582-2583, 2584-2585, 2586-2587, 2588-2589, 2590-2591, 2592-2593, 2594-2595, 2596-2597, 2598-2599, 2600-2601, 2602-2603, 2604-2605, 2606-2607, 2608-2609, 2610-2611, 2612-2613, 2614-2615, 2616-2617, 2618-2619, 2620-2621, 2622-2623, 2624-2625, 2626-2627, 2628-2629, 2630-2631, 2632-2633, 2634-2635, 2636-2637, 2638-2639, 2640-2641, 2642-2643, 2644-2645, 2646-2647, 2648-2649, 2650-2651, 2652-2653, 2654-2655, 2656-2657, 2658-2659, 2660-2661, 2662-2663, 2664-2665, 2666-2667, 2668-2669, 2670-2671, 2672-2673, 2674-2675, 2676-2677, 2678-2679, 2680-2681, 2682-2683, 2684-2685, 2686-2687, 2688-2689, 2690-2691, 2692-2693, 2694-2695, 2696-2697, 2698-2699, 2700-2701, 2702-2703, 2704-2705, 2706-2707, 2708-2709, 2710-2711, 2712-2713, 2714-2715, 2716-2717, 2718-2719, 2720-2721, 2722-2723, 27

$$\frac{1}{2} \left(\frac{1}{2} \right)^2 = \frac{1}{8} \quad \frac{1}{2} \left(\frac{1}{2} \right)^2 = \frac{1}{8} \quad \frac{1}{2} \left(\frac{1}{2} \right)^2 = \frac{1}{8} \quad \frac{1}{2} \left(\frac{1}{2} \right)^2 = \frac{1}{8} \quad \frac{1}{2} \left(\frac{1}{2} \right)^2 = \frac{1}{8}$$

POWER REQUIREMENT

Power Requirement :

- The total estimated power requirement for GCNEP Campus (Phase-I) is 1250 KVA.
- The total estimated power requirement for GCNEP residential (Phase-I) is 450 KVA.
- Source: UHBVN (Uttar Haryana Bijli Vitran Nigam).
- The energy consumption assumed is 10W/Sq. ft (including HVAC power requirement) for Campus area & 2 W/Sq.ft. (including AC & water heater power requirement) for Residential area.

Backup Power supply details :


- 2 nos. DG set of 625 KVA capacities will be used as backup for Campus.
- 2 nos. DG set of 160 KVA capacities will be used as backup for Residential Township.



अनुमोदित / Approved
परियोजना निदेशक / Project Director
ग्लोबल न्यूक्लियर ऊर्जा साझेदारी केंद्र (सी.एन.ई.सी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.उ.नं., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124007

ENERGY BALANCE (CAMPUS)

Annexure X



PROJECT: GLOBAL CENTER FOR NUCLEAR ENERGY PARTNERSHIP, BAHADURGARH, HARYANA		TITLE: ENERGY (POWER) BALANCE PLAN		PRELIMINARY DRAWING	
G.C.N.E.P.-CAMPUS SITE		DRG.NO.: DCSE/E&M/GCNEP/CS/02/1546		REV. P.O.	
NEP DRG. NO.: 47130560/CS/SAR-100C REV-0		SCALE: NTS		DATE: 03-09-14	
		DRAWN: S.V.M.		DESIGNED: S.JOHAV	
		CHECKED:		APPROVED:	

GOVT. OF INDIA
DIRECTORATE OF CONSTRUCTION
SERVICES AND ESTATE MANAGEMENT
ELECTRICAL AND MECHANICAL DESIGN SECTION
VIJAY BHAWAN, ANANDAPUR, MADRAS-60004

DSEM

DRG. NO.

REV.

P.O.

DATE

DRAWN

DESIGNED

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN

S.V.M.

DESIGNED

S.JOHAV

CHECKED

APPROVED

SCALE

NTS

DATE

03-09-14

DRAWN


S.V.M.

DESIGNED

S.JOHAV

ENERGY BALANCE (TOWNSHIP)

Annexure X



PROJECT		TITLE		PRELIMINARY DRAWING	
GLOBAL CENTER FOR NUCLEAR ENERGY PARTNERSHIP, BAHADURGARH, HARYANA		ENERGY (POWER) BALANCE PLAN		REV	
GCNEP-TOWNSHIP SITE		REF. DRG. NO. 471203080/AR/GCNEP/01 REV-1		R/O	
		DRG. NO. DCSE/ELM/GCNEP/TS/02/1647		CHECKED	
		SCALE DATE 03-08-14 SWM S. JONNAV		APPROVED	
		NTS			

DCSE
GOVT. OF INDIA
DIRECTORATE OF CONSTRUCTION
SERVICES AND ESTATE MANAGEMENT
ELECTRICAL AND MECHANICAL DESIGN SECTION
VIGRAH SURVEY BLDG., ANANDAPUR STATION
HYDRABAD-500004

Global Centre for Nuclear Energy Partnership
4316, MIDC ROAD / D.A.E. Government
Bhadrachalam (R.R.) / Bahadurgarh City

वन मण्डल अधिकारी (क्षेत्रीय), झज्जर

बाग जॉहंजारा स्टेडियम, नजदीक DSP Residence, झज्जर
दूरभाष 01251-257258 e-mail:- dfojajjar@yahoo.co.in, dfojajjar@rediffmail.com

सेवा में:-

Ms. Y.S. Mayya, OS
Project Director, GCNEP
(Global Centre for Nuclear Energy Partnership),
DAE, Govt. of India,
RCnD, BARC, Mumbai-85.

क्रमांक:- 3293 दिनांक:- 27-12-2013

विषय:- Construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at Kheri-Jassor and Jassor-Kheri village, Bahadurgarh in the State of Haryana.


संदर्भ:- आपका पत्रांक GCNEP/81 दिनांक 26.12.2013

--00--

उपरोक्त विषय के सम्बन्ध में आप द्वारा प्रस्तुत किये गये खसरा न0 व किला न0 में किसी प्रकार की वन भूमि शामिल नहीं है। इसलिये आप द्वारा प्रस्तुत किये गये खसरा न0 व किला न0 में Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) का निर्माण करने पर इस कार्यालय को कोई आपत्ति नहीं है।

संलग्न - उपरोक्त खसरा सूची

वन मण्डल अधिकारी,
झज्जर।


अनूपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.पे., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Fax No.

13 May 2019 4:41PM P1

HARYANA GOVERNMENT DEVELOPMENT AND PANCHAYATS DEPARTMENT ORDER

No.

Whereas the Gram Panchayat Kheri Jasaur passed a resolution No. 1 dated 8.3.2010 for sale of its land measuring 123 Acre 2 Kanal 17 Marla falling in khasra Nos. 82/1(7-11), 82/2(8-0), 8(8-0), 7(8-0), 8(8-0), 10(8-0), 11(8-0), 12(8-0), 13(8-0), 14(8-0), 15(8-0), 16(8-0), 17(8-0), 18(8-0), 19(8-0), 20(8-0), 21(8-0), 22(8-0), 23(8-0), 24(8-0), 25(8-0), 25/1(8-3), 2(8-0), 3(8-0), 5(8-15), 8(8-10), 7(8-12), 8(8-0), 9(8-0), 10(8-0), 11(7-12), 12(8-0), 13(8-0), 14(8-14), 15(8-3), 16(8-18), 17(8-12), 18(8-0), 19(8-3), 20(7-12), 21(7-12), 22(8-0), 23(8-0), 24(7-11), 25(8-18), 24/5/2(8-5), 8(8-0), 13(8-8), 92/5(7-2), 6(8-0), 15(8-0), 16(8-0), 17(8-0), 18(8-0), 93/3(7-11), 4(7-11), 5/1(1-3), 1(7-8), 2(7-11), 5/2(3-4), 8/1(2-12), 11(7-12), 12(8-0), 13(8-0), 14(8-0), 15/1(2-8), 15/2(2-0), 16/1(1-14), 18/2(2-14), 17(8-0), 18(8-0), 5/2(1-18), 7(8-0), 8(8-0), 9(8-0), 10(7-12), 19(8-0), 20(7-12), 23(8-0), 24(8-0), 25/1(3-4), 25/2(1-4), 24/1(8-0), 2(8-0), 3(8-0), 4(8-0), 5(8-0), 6(8-0), 7(8-0), 8(8-0), 9(8-0), 10(8-0), 11(8-0), 12(8-0), 13(8-0), 14(8-0), 15(8-0), 17(8-0), 18(8-0), 19(8-0), 20(8-0), 62/16(7-4), 25(8-0), 83/21(8-18), 22(4-18), 115/1(8-0), 2(8-0), 3(8-0), 8(8-0), 9(8-0), 10(7-6), 11(7-2), 12(8-0), 13(8-0), 17/3(2-2), 15(8-0), 19(8-0), 20(8-4), 21/2(4-12), 22(8-0), 23/1(8-13), 116/5/2(8-16), 125/1/2(2-0), 2(7-12), 3/1(3-11), 8(8-3), 10/1(8-4), 94/21(8-0), 22(8-0), 23(8-0), 24(8-0), 81/1(8-0), 2(8-0), 3(8-0), 8(8-0), 9(8-0), 10(8-0), 11(8-0), 12(8-0) & 13(8-0) and the Gram Panchayat Jasaur Kheri, Block Bahadurgarh, District Jhajjar passed a resolution No. 1 dated 8.3.2010 for sale of its land measuring 83 Acre 4 Kanal 16 Marla falling in Khasra No. 82/12(8-0), 82/13(8-0), 82/8(8-0), 82/9(8-0), 65/26(8-0), 83/8(8-0), 83/7(8-0), 83/5(8-0), 84/8(8-0), 84/9(8-0), 65/11(8-0), 83/12(8-0), 82/1(8-0), 82/20(8-0), 82/21(8-0), 82/19(8-0), 82/22(8-0), 82/10(8-0), 82/11(8-0), 30/22/2(4-8), 30/23(8-0), 30/24(8-0), 30/25/1(5-14), 60/19(8-0), 50/20(8-0), 84/1/2(4-0), 84/2(8-0), 84/3(8-0), 84/6(8-0), 84/7(8-0), 100/3(8-0), 100/4(8-0), 100/7(1-18), 100/8(1-13), 65/1(8-0), 51/2(8-0), 51/3(8-0), 51/4(4-8), 65/2(8-0), 84/4(8-0), 84/5(8-0), 51/18(8-0), 51/17(8-8), 51/24(8-12), 51/25(8-0), 50/21(8-0), 50/22(8-0), 60/23(8-0), 50/8(8-0), 50/11(8-0), 50/12(8-0), 50/13(8-0), 84/16(8-0), 84/17(8-0), 84/18(8-0), 84/19/1(4-0), 84/22/2(3-18), 84/23(8-0), 84/24(8-0), 84/25(8-0), 51/21(8-0), 51/15(11-2), 50/24(8-0), 60/25(7-12), 84/12(8-0), 84/13(8-0), 84/14(8-0), 84/15(8-0), 55/9(8-0), 65/10(8-0), 82/18(8-0), 82/23(8-0), 100/1(8-0), 100/2(8-0), 100/8(1-2), 100/10(8-18), 100/5(8-0), 100/8(1-7), 82/24(8-0), 82/25(8-0), 82/14(8-0), 82/7(8-0), 82/15(8-0), 50/16(8-0), 50/18(8-0), 51/7(5-14), 51/8(8-0), 51/9(8-0), 51/12/1(2-0), 51/13/1(7-2) & 51/14/1(3-2) (total area of both the Gram Panchayats is 206 Acre 7 Kanal 13 Marla) to the Department of Atomic Energy, Government of India for the purpose of establishing Centre of Excellence for Global Deployment of Nuclear Energy at Market rate.

अनूपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

ए.ऊ.वि., भारत सरकार / D.A.E., Government of India

From,

Fire Station Officer,
Bahadurgarh(Jhajjar)

To,

Director,
Haryana Fire Service,
Bays No.11-14, Sector-4,
Panchkula (Haryana)

No. 168/FSB

Dated 07-05-2015

Subject:- Approval of part fire fighting scheme. Educational Building of School Of Nuclear Security Studies (SNSS) of Global Center for Nuclear Energy Partnership (GCNEP) in the Village- Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR).

Global Center for Nuclear Energy Partnership (GCNEP), Village - Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR) has applied the subject cited above case for approval of fire fighting scheme of Educational Building of School of Nuclear Security Studies (SNSS) from fire safety point of view.

I have inspected the site and examined the fire fighting scheme in the above said building (Shown in plan and Questionnaire) and found that the building having Maximum Height of Building is 16.15 mtrs, Occupied Height is 13.15 mtrs and Total Plot Area is 522515.73 Sq. mtrs and Total plot Area of Education building is 7552.74 sq.mts and covered area of building is 2175.26 sqm. Proposed Fire Fighting scheme of the building as per National Building Code of India 1983 Part-IV Revised 2005 and type of occupancy group-B. Sub B-1(ii). Detail of Proposed fire fighting scheme as under:-

Sr. No	Installation norms as per NBC	Required	Proposed Installation of fire fighting scheme
1	Fire extinguishers	Yes	Yes
2	Hose Reel	Yes	Yes
3	Under ground water storage Tank	NA	Yes cap. 50 KL
4	Terrace water Tank	Yes	Yes cap.10 KL
5	Down Comer	Yes	Yes provided
6	Yard Hydrant	Yes	Yes
7	Pump	Yes	Terrace Pump 450 LPM

The Proposed part fire fighting scheme in the building were checked and found as per National Building Code of India 1983 Part-IV revised 2005. I recommending above said case for approval of part Fire Fighting scheme of Educational building so that permission of part Fire Fighting Scheme can be issued to the applicant.

Fire Station Officer,
Bahadurgarh (Jhajjar)

अनुपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

प.ऊ.वि., भारत सरकार / D.A.E., Government of India

बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

From,

Fire Station Officer,
Bahadurgarh(Jhajjar)

To,

Director,
Haryana Fire Service,
Bays No.11-14, Sector-4,
Panchkula (Haryana)

No. 169/PB

Dated 07.05-2015

Subject:- Approval of part fire fighting scheme Residential Building - Guest House Block A of Global Center for Nuclear Energy Partnership (GCNEP) in the Village-Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR).

Global Center for Nuclear Energy Partnership (GCNEP), Village - Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR) has applied the subject cited above case for approval of part fire fighting scheme of Residential Building for Guest House Block A from fire safety point of view.

I have inspected the site and examined the fire fighting scheme in the above said building (Shown in plan and Questionnaire) and found that the building having Maximum Height of Building is 10.7 mtrs, Occupied Height is 7.8 mtrs and Total Plot Area is 424021.48 Sq. mtrs and Total plot Area of Guest House Block A building is 7748.35 sq.mtrs and covered area of building is 1261.65 sqm. Proposed Fire Fighting scheme of the building as per National Building Code of India 1983 Part-IV Revised 2005 and type of occupancy group-A. Detail of Proposed fire fighting scheme as under:-

Sr. No	Installation norms as per NBC	Required	Proposed Installation of fire fighting scheme
1	Fire extinguishers	Yes	Yes
2	Hose Reel	Yes	Yes
3	Terrace water Tank	Yes	Yes cap.10 KL
4	Down Comer	Yes	Yes provided
5	Internal Hydrant	Yes	Yes
6	Pump	Yes	Terrace Pump 450 LPM

The Proposed part fire fighting scheme in the building were checked and found as per National Building Code of India 1983 Part-IV revised 2005. I recommending above said case for approval of part Fire Fighting scheme of Guest House Block A building so that permission of part Fire Fighting Scheme can be issued to the applicant.

(Signature)
Fire Station Officer,
Bahadurgarh (Jhajjar)

(Signature)
ANUPAM SHARMA
प्रियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Ref: GCNEP / *Enc/01*

Date: 26th December 2013

To
Project Director, GCNEP
Reactor Control Division,
Bhabha Atomic Research Centre
Mumbai.

Sub: *Construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at Kheri Jasaur and Jasaur Kheri village in the State of Haryana*
- Electric Supply for GCNEP Campus & Township

Ref: 1. Your letter dated 26.12.13 and Check list received from State Environment Impact Assessment Authority (SEIAA).

Dear Sir,

This is to assure you that the necessary Electricity supply shall be provided for, both the sites at Kheri Jasaur and Jasaur Kheri villages, for setting up GCNEP project.

[Signature]
SDO HBVN,
Bahadurgarh, Haryana
SDO S/U SIDNN,
HBVN Bahadurgarh

[Signature]
Project Director
Global Centre for Nuclear Energy Partnership (GCNEP)
4, 2nd Fl., NIT Building, D.A.E., Government of India
Bahadurgarh (Haryana) - 124507



Government of India
भारत सरकार

Phone: +912225595204

परमाणु ऊर्जा विभाग

Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP

Annexure XIV



Y. S. Mayya, OS
Project Director, GCNEP

Date: 26th December 2013

Ref: GCNEP / 83

To
The Chairman, SEIAA
ParytanBhawan
1st Floor, Sector-2, Panchkula
Tel: 0712 2565232

Sub: *Construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at KheriJasaur and JasaurKheri village in the State of Haryana.*

- Submission of Form-1, Form-1A, Environmental Management Plan and Conceptual Plan for Environmental Clearance

Ref: 1. Department's proposal submitted on 30 October 2013.
2. Check list received from State Environment Impact Assessment Authority (SEIAA) dated 06.11.2013 received on 09.12.13.

Dear Sir,

Department of Atomic Energy, Government of India decided to set up institutional campus and residential township for Global Centre for Nuclear Energy Partnership (GCNEP) project at KheriJasaur and JasaurKheri village near Bahadurgarh, in the State of Haryana.

The details of the project were submitted to your office with reference to point no.1.

Further as per the prerequisite in check list above referred at point no.2, We Undertake the following:-

- That no construction has been started at the site along with latest attested photograph.
- That we will not encroach the revenue rasta passing through the project area shown in the zoning plan and layout plan.
- That we will keep the ROW required for HT wire passing through the project area as per Government instruction.
- That we will not use ground water for construction and will use treated water confirmation the standards for building construction.
- That we will use ultra low sulphur diesel.
- That provision for Helipad shall be made in case of the building having height more than 8 meter. Provision of atleast one Hydraulic ladder for high rise building shall also be made.
- The infrastructure will not obstruct or divert the natural flow of water covered or open nallah, drainage of rain water as per natural flow of water.

Thanking you

Yours faithfully

Y. S. Mayya

Project Director, GCNEP
Reactor Control Division, Bhabha Atomic Research Centre
Tel: 022 2559 5204
E-mail: ysmayya@barc.gov.in

Y. S. MAYYA
Project Director, GCNEP
DAE, Govt. of India
RCnD, BARC, Mumbai-85


वाई एस मय्या / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
ग्लोबल सेंटर फॉर न्यूक्लियर एनर्जी पार्टनरशिप (GCNEP)
भारत सरकार / Government of India
रेक्टर नियंत्रण प्रभाग / Reactor Control Division
भारत सरकार, मुंबई / Government of India, Mumbai-400085

ANUPAM SHARMA


परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (GCNEP)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बाहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Reactor Control Division
Bombay, Mumbai-400085

258



ANNEXURE XV




Site Barricade with High wall



ANUPAM SHARMA
प्रियोजना निदेशक Project Director
ग्लोबल नाभिकीय ऊर्जा साझेदारी केंद्र (G.C.N.E.P.)
ग्लोबल नाभिकीय ऊर्जा साझेदारी केंद्र (G.C.N.E.P.)
एन.डी. मंडल सरकार C.A.E. Government of India
बहादुरगढ़ कुरियाणा Bahadurgarh (Haryana) 124507



Water Sprinkling at Site.


ANUJAM SHARMA

परियोजना निदेशक Project Director

राष्ट्रीय परमाणु ऊर्जा संस्थान, बरेilly, उत्तर प्रदेश

Nuclear Energy Research Institute, Bareilly, U.P.

प. उ. वि. भारत सरकार - D.A.E. Government of India

बरेilly, उत्तर प्रदेश Bahadurpur (Uttar Pradesh)




ABQ

[illegible]

MASTER PLAN - INSTITUTIONAL CAMPUS

Annexure XVIII



Name of Building	Area (in sq. m.)
Central Building	9,291
SNSS	3,451
SARRT	2,522
Service Building	3,215
BUILT-UP AREA	18,479
SITE AREA	32.73 ha

ANUPAM SHARMA
 ANUPAM SHARMA / ANUPAM SHARMA
 Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र, वी.सी.एन.ई.पी.
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 ए.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़, हरियाणा / Bahadurgarh (Haryana)-124507

MASTER PLAN - RESIDENTIAL TOWNSHIP

Area = 5.15 ha

Area = 23.59 ha


SITE AREA = 13.66 ha

Name of Building

Annexure XVIII

Area (in sq.
m.)

GUEST HOUSE - BLOCK A	2,475.79
GUEST HOUSE - BLOCK B	3,858.03
Service Building	1619.18
TOTAL BUILT-UP AREA	7953.00
SITE AREA	13.66 ha




ASham

अनुपम शर्मा : ANUPAM SHARMA
परियोजना निदेशक Project Director
गैलवर्ल्ड न्यूक्लियर एनर्जी पार्टनरशिप फंड जी.सी.एन.ई.पी.
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
ए.ऊ.वि. भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) : Bahadurgarh (Haryana)-124507

PARKING & CIRCULATION MASTER PLAN - CAMPUS

Annexure XIX



PARKING & CIRCULATION MASTER PLAN - TOWNSHIP


LEGEND

Parking

Vehicular Movement

Bicycle Tracks

Pedestrian Movement



上海人民广播电台

अनुपम शर्मा / ANUPAM SHARMA
प्रियोजना निदेशक / Project Director


परियोजना निदेशक ! प्रोफेसर एन.पी.ए. (सी.डी.एन.ई.पी.)
जोशिकीय जल सांख्यिकीय विभाग

विद्युत और शक्ति
Partnership for Nuclear Energy
Government of India

Ministry of Nuclear Energy / D.A.E., Government of India
New Delhi (Haryana) 110028

3 (K2990) / Bahadurgarh (Haryana)

[illegible]



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
Bay No. 55-58, Prayatan Bhiawan, Sector-2, PANCHKULA.

No. SEIAA/HR/2014/1385

Dated: 07-11-2014

To

The Project Director,
GCNEP, Department of Atomic Energy,
Government of India, Reactor Control Division,
Bhabha Atomic Research Centre,
Trombay, Mumbai-400085

Subject: Environmental Clearance for construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at Village Kheri Jasaur and Jasaur Kheri District Jhajjar in the state of Haryana.

Dear Sir,

This letter is in reference to your application no. GCNEP/82 dated 26.12.2013 addressed to M.S. SEIAA, Haryana received on 30.12.2013 and subsequent letter dated 10.03.2014 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MOEF, GOI vide their Notification 23.3.2012, in its meetings held on 27.01.2014, 28.04.2014, 22.07.2014, 13.08.2014 and 09.09.2014 awarded "Gold" grading to the project.

[2] It is inter-alia, noted that the project involves the construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at village Kheri Jasaur and Jasaur Kheri District Jhajjar in the state of Haryana on a plot area of 113.66 Acres (46.39 hect = 32.73 for campus+ 13.66 hect from township). The proposed total built up area shall be 26432 sqm (18489 smt institutional campus + 7953 sqm residential township). The project shall comprise of Institutional Campus shall have central building, SNSS, SARRT and Service buildings. The project proponent has proposed to seek separate environment clearance for development of the remaining part of project as per the procedure laid down in the notification under expansion after the approval of the competent authority in Govt. of India is obtained. The total water requirement shall be 463 KLD. The waste water generation shall be 106.40 KLD, which will be treated in the 02 STPs having capacity of 67 KLD and 60 KLD. The entire treated water shall be recycled and re-used. The total power requirement shall be 1700 KVA which will be supplied by HBVNL. The Project Proponent has proposed to develop green belt on 32% for the institutional campus and 50.08% for residential township. The Project Proponent proposed to construct 50 rain

(Signature)

अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director

गैलबल सेंटर फॉर न्यूक्लियर एनर्जी पार्टनरशिप (जी.सी.एन.ई.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.)
ए.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124307

62

water harvesting pits. The solid waste generation will be 1530 kg/day. The bio-degradable waste will be treated in the project area by adopting appropriate technology. The total parking spaces proposed are 395 ECS.

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of environmental clearance for the project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority in its meeting held on 14.10.2014 decided to agree with the recommendations of SEAC to accord necessary environmental clearance for the project under Category 8(a) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below:-

PART A-
SPECIFIC CONDITIONS:-
Construction Phase:-

- [1] "Consent for Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.
- [2] A first aid room as proposed in the project report shall be provided both during construction and operational phase of the project.
- [3] Adequate drinking water and sanitary facilities shall be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the labourers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.
- [4] All the topsoil excavated during construction activities shall be stored for use in horticulture/landscape development within the project site.
- [5] The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- [6] Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana Pollution Control Board.

अनुपम शर्मा / ANUPAM SHARMA

प्रमुख निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)


Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

प.ऊ.वि., भारत सरकार / D.A.E., Government of India

बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- [7] The diesel generator sets to be used during construction phase shall be of ultra low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- [8] The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- [9] Ambient noise levels shall conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air pollution and noise level during construction phase, so as to conform to the stipulated residential standards of CPCB/MoEF.
- [10] Fly ash shall be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and as amended on 27th August 2003.
- [11] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [12] Water demand during construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices.
- [13] Roof must meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.
- [14] Opaque wall must meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [15] The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.
- [16] The Project Proponent as stated in proposal shall construct 50 nos. rain water harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pit. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.
- [17] The project proponent shall provide for adequate fire safety measures and equipments as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority/Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding fire safety scheme/NOC from competent Authority as required.

64


 Anupam Sharma / Project Director
 वैश्व नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- [18] The Project Proponent shall obtain assurance from the HBVNL for supply of 1700 KVA of power supply before the start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.
- [19] Detail calculation of power load and ultimate power load of the project shall be submitted to HBVNL under intimation to SEIAA Haryana before the start of construction. Provisions shall be made for electrical infrastructure in the project area.
- [20] The Project Proponent shall not raise any construction in the natural land depression / Nallah/water course and shall ensure that the natural flow from the Nallah/water course is not obstructed.
- [21] The Project Proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.
- [22] Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Country Department Haryana.
- [23] The Project Proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.
- [24] The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.
- [25] The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.
- [26] The Project Proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.
- [27] The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.
- [28] The project proponent shall provide proper rasta of proper width and proper strength for the project before the start of construction.
- [29] The project proponent shall ensure that the U-value of the glass is less than 3.177 and maximum solar heat gain co-efficient is 0.25 for vertical fenestration.
- [30] The project proponent shall adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project Proponent shall provide respiratory protective equipment to all construction workers.
- [31] The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.

अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director

ग्लोबल न्यूक्लियर ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- [32] The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start of construction.
- [33] The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDA/ Local authorities beside other required services before taking up any construction activity.
- [34] The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.
- [35] The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.
- [36] The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.
- [37] The project proponent shall seek separate environment clearance for development of the remaining part of project as per the procedure laid down in the notification under expansion after the approval of the competent authority in Govt. of India is obtained.
- [38] The project proponent shall be self integrated with respect to services infrastructure and shall be independent for all the purposes.

Operational Phase:

- [a] "Consent to Operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.
- [b] The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total Phosphorus to the extent of less than 2mg/liter. Similarly total Nitrogen level shall be less than 2mg/liter in tertiary treated waste water. Discharge of treated sewage shall conform to the norms and standards of CPCB/ HSPCB, whichever is environmentally better. Project Proponent shall implement such STP technology which does not require filter backwash.
- [c] Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should

अनूप शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director

ग्लोबल न्यूक्लियर ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
भारत सरकार / O.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

64


ensuring that the re-circulated water should have BOD level less than 5 mg/litre and the recycled water will be used for flushing, gardening and DG set cooling etc.

- [d] For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.
- [e] Diesel power generating sets proposed as source of back-up power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets shall be in the basement as promised by the project proponent with appropriate stack height above the highest roof level of the project as per the CPCB norms. The diesel used for DG sets shall be ultra low sulphur diesel (35 ppm sulphur), instead of low sulphur diesel.
- [f] Ambient Noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the Proposed Institutional Campus & Residential Township.
- [g] The project proponent as stated in the proposal shall maintain at least 32% for the institutional campus and 30.08% for residential township as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species which can provide protection against noise and suspended particulate matter. The open spaces inside the project shall be preferably landscaped and covered with vegetation/grass, herbs & shrubs. Only locally available plant species shall be used.
- [h] The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.
- [i] The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- [j] A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the SEIAA, Haryana in three months time.
- [k] Energy conservation measures like installation of LED only for lighting the areas, outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum energy conservation.
- [l] The Project Proponent shall use zero ozone depleting potential material for insulation, refrigeration, air-conditioning and adhesive. Project Proponent shall also provide halon free fire suppression system.

ANUPAM SHARMA
परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- [m] The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be treated by appropriate technology at the site ear-marked within the project area and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- [n] The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.
- [o] The traffic plan and the parking plan proposed by the Project Proponent should be meticulously adhered to with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used.
- [p] The Project shall be operationalized only when HUDA/local authority will provide domestic water supply system in the area.
- [q] Operation and maintenance of STP, solid waste management and electrical Infrastructure, pollution control measures shall be ensured even after the completion of project.
- [r] Different type of wastes should be disposed off as per provisions of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed of as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler / recycler as per existing E-waste Management Rules 2011.
- [s] Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.
- [t] The project proponent shall make provision for guard pond and other provisions for safety against failure in the operation of wastewater treatment facilities. The project proponent shall also identify acceptable outfall for treated effluent.
- [u] The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per CPCB latest standards for high capacity DG sets.
- [v] All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.
- [w] The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.



 अनुपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / D.A.E., Government of India
 शाहदुर्ग (हरियाणा) / Shahdurgarh (Haryana)-124507


- [x] The project proponent shall not use fresh water for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.
- [y] The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.
- [z] Water supply shall be metered among different users and different utilities.
- [aa] The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.
- [ab] The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.
- [ac] The project proponent shall provide additional green area on terrace and roof top.
- [ad] The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/(ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.
- [ae] The project proponent shall install solar panel for energy conservation.

PART-B. GENERAL CONDITIONS:


- [i] The Project Proponent shall ensure the commitments made in Form-I, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.
- [ii] The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the northern Regional Office of MoEF, the respective Zonal Office of CPCB, HSPCB and SEIAA Haryana.


 ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- [iii] STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3 (three) months, the project proponent shall conduct environmental audit and shall take corrective measure, if required, without delay.
- [iv] The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary. Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.
- [v] The Project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.
- [vi] All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972, Forest Act, 1927, PLPA 1900, etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.
- [vii] The Project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of Environment Clearance conditions shall also be put on project proponent's web-site for public awareness.
- [viii] Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.
- [ix] Any appeal against the this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- [x] The project proponent shall put in place Corporate Environment Policy as mentioned in MoEF, GoI OM No. J-11013/41/2006-IA II (I) dated 26.4.2012 within 3 months period. Latest Corporate Environment Policy should be submitted to SEIAA within 3 months of issuance of this letter.
- [xi] The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF, GoI under rules prescribed for Environment Audit.
- [xii] The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.


 अनुपम शर्मा / ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.उ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

- [xiii] The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid 'Pollution Under Control' certificate from competent Authority.
- [xiv] The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.
- [xv] Nodal Officer (Project Director) nominated by GCNEP shall be responsible for implementation of all conditions of Environmental Clearance letter.
- [xvi] The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; $PM_{2.5}$, PM_{10} , SO_x , NO_x , Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- [xvii] The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- [xviii] The project proponent shall conduct environment audit at every three months interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.



 Member Secretary,
 State Level Environment Impact
 Assessment Authority, Haryana, Panchkula.


Endst. No. SEIAA/HR/2014

Dated:.....

A copy of the above is forwarded to the following:

1. The Additional Director (IA Division), MOEF, GOI, Indra Paryavaran Bhavan, Zor bagh Road-New Delhi.
2. The Regional office, Ministry of Environment & Forests, Govt. of India, Sector 31, Chandigarh.
3. The Chairman, Haryana State Pollution Control Board, PkI.


 Member Secretary,
 State Level Environment Impact
 Assessment Authority, Haryana, Panchkula


 अनुपम शर्मा ANUPAM SHARMA
 परियोजना निदेशक / Project Director
 वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)
 Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
 प.ऊ.वि., भारत सरकार / D.A.E., Government of India
 बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507



Government of India
Phone: +91 11 23792465

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Ref: GCNEP/MoEF/2018/01-23

Dated: 15/01/2018

To

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030.

Sub: Half-Yearly Compliance Report (Session: July 2017 to Dec 2017) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) at Village - Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP.

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,

This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards.
2. Environmental monitoring report, along with necessary documents & annexures.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,

Yours sincerely,

Anupam Sharma

(Anupam Sharma
Outstanding Scientist
Project Director, GCNEP
145-A, South Block, New Delhi -110011
Email: pd@gcnep.gov.in



Enclosures: As above.

Anupam Sharma
ANUPAM SHARMA
परियोजना निदेशक / Project Director

अनूपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., परतल सख्कर / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Project Directorate: 145-A, South Block, New Delhi-110011 Phone: २३७२७०१/सख्कर / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507



Government of India
Phone: +91 11 23792465

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



ग्लोबल नाभिकीय ऊर्जा साझेदारी केन्द्र
Global Centre for Nuclear Energy Partnership

Ref: GCNEP/MoEF/2018/01-23

Dated: 15/01/2018

To

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030.

Sub: Half-Yearly Compliance Report (Session: July 2017 to Dec 2017) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) at Village - Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP.

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,

This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards.
2. Environmental monitoring report, along with necessary documents & annexures.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,

Yours sincerely,

Anupam Sharma

(Anupam Sharma
Outstanding Scientist

Project Director, GCNEP

145-A, South Block, New Delhi -110011

Email: pd@gcne.gov.in

अनुपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

प.ऊ.वि., भारत सरकार / D.A.E., Government of India

बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

अनुपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

प.ऊ.वि., भारत सरकार / D.A.E., Government of India

बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

Enclosure
Haryana State Pollution Control Board
G.C.N.E.P. Bahadurgarh, Haryana

CC: HSPCB, sec-6, Panchkula



Government of India
Phone: +91 11 23792465

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Ref: GCNEP/MoEF/2018/01-23

Dated: 15/01/2018

To

The Advisor,
Regional Office,
Ministry of Environment, Forest and Climate Change (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030..

Sub: Half-Yearly Compliance Report (Session: July 2017 to Dec 2017) of the stipulated Environmental conditions/safeguards in the Environmental clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Centre For Nuclear Energy Partnership (GCNEP) at Village - Kheri Jasaur and Jasaur Kheri, District - Jhajjar, Haryana by GCNEP.

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014.

Dear Sir,

This has reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 dated 7th November, 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards.
2. Environmental monitoring report, along with necessary documents & annexures.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,

Yours sincerely,

Anupam Sharma

(Anupam Sharma
Outstanding Scientist
Project Director, GCNEP
145-A, South Block, New Delhi-110011
Email: pd@gcnep.gov.in


Enclosures: As above.


परियोजना निदेशक / Project Director

वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
प.ऊ.वि., भारत सरकार / D.A.E., Government of India
बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

24





[Signature]


अनुपम शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
क्षेत्रीय नाभिकीय ऊर्जा सहयोगी केंद्र (सी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
ए. ३३, भारत सरकार / D.A.E., Government of India
बाहदुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

75



[Signature]

जगुप शर्मा / ANUPAM SHARMA
परियोजना निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.ए.पी.)
Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)
ए.डी.ए. सरकार / D.A.E., Government of India
बिहड़गढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507



[Signature]

अनुपम शर्मा / ANUPAM SHARMA

परियोजना निदेशक / Project Director

शैक्षणिक नाभिकीय ऊर्जा साझेदारी केंद्र (जी.सी.एन.ई.पी.)

Global Centre for Nuclear Energy Partnership (G.C.N.E.P.)

ए.क.वि., भारत सरकार / D.A.E., Government of India

बहादुरगढ़ (हरियाणा) / Bahadurgarh (Haryana)-124507

