



Phone: +91225595204

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र
GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Ref: GCNEP/MoEF/2016/105

Dated: 27/06/2016.

To,
Regional Office,
Ministry of Environment & Forest (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030

Sub: Half Yearly Compliance Report (Session:- Jan 2016 to Jun 2016) of the stipulated Environmental Conditions/Safeguards in the Environmental Clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Center for Nuclear Energy Partnership (GCNEP) at Village Kheri Jasaur and Jasaur Kheri, District Jhajjar, Haryana by GCNEP.

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 Dated 7th November 2014

Dear Sir,

This is in reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 Dated 7th November 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.


In view of above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:

1. 3rd report (Jan to Jun-2016) Point-wise compliance of the stipulated environmental conditions/ safeguards, along with necessary documents & annexures.
2. Environmental monitoring report.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,

Yours Sincerely,


Y. S. Mayya
Project Director, GCNEP
BARC, Mumbai-400085
Email: ysmayya@barc.gov.in

- CC: 1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Secretary SEIAA, Bay No.55-58, Parytan Bhawan 1st Floor Sector-2, Panchkula, Haryana.

HALF YEARLY COMPLIANCE (Jan to Jun 2016) OF STIPULATED
ENVIRONMENTAL CONDITIONS SAFEGUARDS IN THE
ENVIRONMENTAL CLEARANCE LETTER NO. SEIAA/HR/2014/1385

DATED 7th November 2014

FOR

INSTITUTIONAL CAMPUS AND RESIDENTIAL TOWNSHIP FOR GLOBAL
CENTER FOR NUCLEAR ENERGY PARTNERSHIP (GCNEP) AT VILLAGE-KHERI
JASOUR AND JASOUR KHERI, DISTT. JHAJJAR, HARYANA

PART A - SPECIFIC CONDITIONS: CONSTRUCTION PHASE

Condition 1: "Consent to Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water act and a copy shall be submitted to the SEIAA Haryana before the start of any construction work at the site.


Reply: Consent to Establish has been obtained from Haryana State Pollution Control Board for "Consent to Establish" under Air and Water Act vide letter no. HSPCB/Consent/: 2821215JHACTE1432687 dated 27.02.20 15. Copy of CTE is enclosed as **Annexure I.**

Condition 2: A first aid room as proposed in the project report shall be provided both during construction and operation phase of the project.

Reply: Agreed. First Aid Room is provided at Site by the Contractor. First Aid Facilities are available at DCS&EM Site Office. In case of Snake bite, the treatment can be availed from village hospital for which the facility is available at the hospital. Emergency vehicle is available at site at all working hours. We are doing routine medical check-up for the laborers those who are working at the construction site. Photograph showing First Aid room is attached as **Annexure II.**

Condition 3: Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the laborers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.

Reply: Agreed. Adequate Drinking Water facility is Provided at Labour Hutments. Sanitary Arrangements are provided at labour Hutment Area & Site Offices. The open defecation by the laborers is strictly prohibited. The wastewater generated during construction phase is being sent to


एल आर जंगड़ा / L R JANGRA
अध्यक्ष, समन्वय विभाग / Head Co-ordination Division
के. ए. एन. ई. पी. जे. पी. / GCNEP, DCL
प्लॉट नं. 1, गेट नं. 1, जे. ए. एन. ई. पी. जे. पी. / GCNEP, DCL
मुंबई - 400 006 / Ahmednagar - 400 006

septic tanks. Photographs showing drinking water facility, toilets and septic tank are attached as **Annexure III.**

Left over cement and mortar, cement concrete blocks, aggregates, sand and other inorganic material are being recycled. Solid waste management plan is enclosed as **Annexure IV.**

Condition 4: All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.

Reply: Agreed. Top soil is preserved separately which will be used for landscaping. Small landscaping made in front of the office is made of top soil of Guest House Building. Photograph showing the top soil storage is enclosed as **Annexure V.**

Condition 5: The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

Reply: Agreed. No significant muck excavation is being done at the project site. Construction materials are being properly stored within project site. Cement Go-down for Cement Storage is available, store room at Township Site is made, store room at Campus Site is provided, RMC Plant with partitions is also made. Photograph showing covered construction material enclosed as **Annexure VI.**

Condition 6: Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.

Reply: Agreed. Construction spoils such as bituminous material and other hazardous materials are not allowed to contaminate water course, dumpsite is being provided inside the boundary of the project site. Hazardous waste generated during construction phase, is being disposed off as per applicable rules and norms.

Condition 7: The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.

A
एल आर जंगड़ा / L R JANGRA
अध्यक्ष, समन्वय प्रभाग / Head Co-ordination Division
नो नो एन ई डी, नो ए ई / NO NED DAF
गृह, भारत सरकार / Ministry of Home Affairs, Govt. of India, B.A.R.C.
फ़ोन - 400 095 / दिल्ली - 400 095

Reply: Agreed. Temporary Electrical connections are available for Major Construction Works. Two back up silent DG set is provided (82KVA + 40 KVA). BS-IV norm fuel is used (Available at Delhi & NCR Region). During construction phase DG sets are enclosed with acoustic enclosure installed on the firm base to minimize vibration and noise. Results of Environmental monitoring carried out at the site for Air and Noise monitoring are enclosed as **Annexure VII**.

Condition 8: The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.

Reply: Agreed. D.G sets are used only for lighting purpose. The quantity of diesel required is very low. So, storage of diesel is not proposed. No major storage is done at site. Maximum 100 Lit stored in enclosed store room. Photograph of the same is attached as **Annexure XXIII**.

Condition 9: Ambient noise levels should conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards.

Reply: Agreed. Ambient noise levels are monitored during day & night and conforming to standards. Base line + incremental load of Ambient Air Quality and Noise Level are being closely monitored during construction phase. Adequate measures have been adopted to reduce Ambient Air Quality Level and Noise Level during construction phase to conform to confirm to the stipulated standards. Ambient air quality report and noise monitoring report is enclosed as **Annexure VII**.

Condition 10: Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003.

Reply: Fly ash based bricks is being used for the construction of walls. All Superstructure Masonary Works are built/being built with Fly ash bricks (So far 5,07,000 nos of fly ash bricks are received at site) Entire RCC works/ Cement works are carried out with PPC Cement (So far 46553 Bags/ 2327 MT of PPC is used at Site). Photograph showing same is enclosed as **Annexure VIII**.

Condition 11: Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.

Reply: Agreed. Standards will be followed. Detailed design for storm water drains are carried out and these drains are being constructed.

Condition 12: Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices as referred.

Reply: Agreed. Ready mix concrete is used for all RCC works. No bore well is made at site. Photograph showing batching plant at site is shown as Annexure IX.

Condition 13: Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.

Reply: Agreed. Insulation (50mm thick Phenotherm board) material are being used at roof. Energy details is attached as Annexure X.

Condition 14: Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is inspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.

Reply: Agreed. Double walls are used on all outer walls (230mm + 115mm). Thermal insulation material is provided between these walls.

Condition 15: The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc as per National Building Code including protection measures from lightening etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.

Reply: Agreed. This is a project of Central Government, Department of Atomic Energy project. The project is conceived and detailed by in-house designers, adhering to in vogue safety and design standards. No forest land is involved in the project. Forest NOC is attached as Annexure XI.

Condition 16: The project proponent as stated in the proposal shall construct 50 rainwater harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pits. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.

bye-laws. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.

Reply: Agreed. Plinth levels are kept well above the surrounding levels (+101.45m). Level of approach road is kept above the maximum water level during rainy season.

Condition 22: Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Country Department Haryana.

Reply: Density of population will not exceed norms approved by Director General Town and Country Department Haryana due to the construction of project.

Condition 23: The Project Proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.

Reply: No bore well is dug at site for construction purpose. We are a government organization. We have submitted an undertaking stating that we will not use Ground water for construction. Same is attached as **Annexure XIV**.

Condition 24: The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.

Reply: Agreed. There is no requirement of cutting the trees, only small bushes have been cleared for construction activity.

Condition 25: The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.

Reply: Agreed. ECBC norms will be met. Building envelope, HVAC services, water heating, pumping, lighting electrical infrastructure will all be in energy efficient way and meet Energy conservation Building Code norms. LED/ CFL fixtures are used. Air conditioners are working on R-410 A.

Condition 26: The project proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.

Reply: Agreed. Masonary boundary wall is constructed all around the site and water sprinkling is being done to restrict dust and air pollution during construction. Photograph showing the same is enclosed as **Annexure XV and Annexure XVI** respectively.

Condition 27: The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.

Reply: Agreed. Sedimentation basin will be constructed.

Condition 28: The project proponent will provide proper *rasta* of proper width and proper strength for the project before the start of construction.

Reply: We have provided proper *rasta* of proper width and proper strength for the project before the start of construction. Same is enclosed as **Annexure XVII**.

Condition 29: The project proponent shall ensure that the U value of Glass is less than 3.177 and maximum solar heat gain coefficient is 0.25 for vertical fenestration.

Reply: Agreed. Hermetically sealed 38mm thick (12mm SGG cool lite platinum toughened glass + 18mm air gap + 8mm inner glass) with low U value glass for all structural glazing works is being used.

Condition 30: The project proponent shall adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project proponent shall provide respiratory protective equipments to all construction workers.

Reply: Agreed. Proper measures are being taken to control dust on the site like water sprinkling, covering construction material, vehicles, The photograph of dust suppression using tractors is attached as **Annexure XVI**. Site barricading is being done so that dust does not spread outside premises which is attached as **Annexure XV**. We are providing provide mask and other personal protective equipment to the construction laborers.

Condition 31: The project proponent shall provide fire control room and fire officer for building above 30 m as per national Building Code.


Reply: The height of institutional and residential building is G+2 and G+ 1, the height of the building will not be raised above 30m.

Condition 32: The project proponent shall obtain permission of Mines and Gcology Department for excavation of soil before the start of construction.

Reply: There is no basement provided in the project. If required at any stage, we will obtain permission from concerned department.

Condition 33: The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDA Local authorities beside other required services before taking up any construction activity.

Reply: Agreed.


एल जार जंगरा / L.R. JANGRA
अध्यक्ष, समन्वय प्रभाग / Head Co-ordination Division
जी सी एस ई पी, को-६ / GONER, DAF
भारत सरकार, को-६, नया दिल्ली - Govt. of India, New Delhi
फ़ोन: 4601550, 4601551, 4601552

Condition 34: The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.

Reply: The site for solid waste management plant has been earmarked on the layout plan. The same will be provided before operational stage. Site Plan is attached as Annexure XVIII.

Condition 35: The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.

Reply: We will discharge excess of treated waste water/storm water in the public drainage system. Application will be submitted to HUDA for drainage connection.

Condition 36: The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.

Reply: The project is being developed by Central Government, Department of Atomic Energy. The project is conceived and detailed by in-house designers, adhering to in vogue safety and design standards. All measures are being taken to ensure that building is earthquake resistant. All the provisions of IS 1893 & IS 13920 if followed in structural design.

Condition 37: The project proponent shall seek separate environment development of the remaining part of project as per the procedure laid notification under expansion after the approval of the competent authority in is obtained.

Reply: Agreed and will be complied with when necessary.

Condition 38: The project proponent shall be self integrated with respect to services infrastructure and shall be independent for all the purposes.

Reply: Agreed. STP treated water will be recycled within the project for flushing and horticultural purpose. Rainwater will be harvested to recharge ground water.



Condition a: "Consent to operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.

Condition b: The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total Phosphorus to the extent of less than 2 mg/litre. Similarly total Nitrogen level shall be less than 2 mg/liter in tertiary treated waste water. Discharge of treated sewage shall conform to the norms and standards of CPCB/HSPCB, whichever is environmentally better. Project proponent shall implement such STP technology which does not require filter backwash.

Condition c: Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100 % gray water by decentralized treatment should be done ensuring that the re-circulated water should have BOD level less than 5 mg/liter and the recycled water will be used for flushing, gardening and DG set cooling etc.

Condition d: For disinfections of the treated waste water ultra violet radiation or Ozonization should be used.

[illegible]

Condition e: Diesel power generating sets proposed as source of backup power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets should be in the basement as promised by the project proponent and appropriate stack height i.e., above the roof level as per the CpeB norms. The diesel used for DG sets should be of ultra lowsulphur diesel (35 ppm sulphur), instead of low sulphur diesel.

Reply: Agreed. D.G. sets to be used for power back up will be of enclosed type and confirmed rules made under the Environment (Protection) Act, 1986. The D.G. sets are run on BS-IV norm fuel (Available at Delhi & NCR Region)

Condition f: Ambient noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the proposed Institutional Campus and Residential Township.

Reply: Agreed. Proper mitigation measures as suggested in EMP report will be done to control noise level both during construction and operation phase and is ensured that it does not exceed the prescribed standards both within and at the boundary of the Commercial Colony.

Condition g: The project proponent as stated in the proposal shall maintain at least 32% for the institutional campus and 30.08% for residential township as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species so as to provide protection against particulars and noise. The open spaces inside the plot should be preferably landscaped and covered with vegetation/grass, herbs and shrubs. Only locally available plant species shall be used.

Reply: Agreed.

Condition h: The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.

Reply: Agreed. Minimum water will be used in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation.

Condition i: The ground water level and its quality should be monitored regularly in consultation with Central Ground water Authority.



10

एन आर जॉंगरा / L.R. JANGRA

अध्यक्ष, संयुक्त समिति / Head, Coordination Committee

जी एन एन ई को कोरपोरेशन / GGN E.P. DAE

भारत सरकार, वी ए आर रोड / Govt of India, S.A.R.C

मुम्बई - 400 085 / Mumbai - 400 085

Reply: Agreed.

Condition j: A report on the energy conservation measures conforming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology; R & U factors etc. and submit to the IA Division of Environment, Haryana in three months time.

Reply: Agreed.

Condition k: Energy conservation measures like installation of LEDs only for lighting the areas outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum extent possible for energy conservation.

Reply: Agreed. Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building is integral part of the project design and will place before project commissioning. Used CFLs and TFLs will be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Solar lighting will proposed for open spaces and signage.

Condition l: The project proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning. Project proponent shall also provide Halon free fire suppression system.

Reply: Agreed.

Condition m: The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be composted by vermin-composting at the site earmarked within the project area and dry/inert solid waste to be disposed off to the approved site for land filling after recovering recyclable material.

Reply: Agreed. Solid Waste Management Plan is attached as Annexure IV.

Condition n: The provision of solar water heating system shall be as per the norms specified by HAREDA and shall be made operational in each building block.

Reply: Agreed.

Condition o: The traffic plan and the parking plan proposed by the project proponent should be adhered to meticulously with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used.

Reply: Agreed. Traffic cum parking plan enclosed as Annexure XIX.

Condition p: The Project shall be operationalized only when HUDA/local authority will provide domestic water supply system in the area.

Reply: Agreed.

Condition q: Operation and maintenance of STP, Solid waste management and electrical Infrastructure, pollution control measures shall be ensured.

Reply: Agreed. Operation and maintenance of STP, solid waste management and electrical infrastructure, pollution control measures will be completed after the completion of the unit.

Condition r: Different type of wastes should be disposed off as per the provision of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries and plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed off as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler/recycler as per existing E-waste Management Rules 2011.

Reply: Agreed. MSW will be disposed off as per provisions of municipal solid waste made under Environment Protection Act, 1986. Negligible quantity of Biomedical waste, Hazardous waste, e-waste, and plastic waste generated will be disposed off as per biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. E-waste and Battery waste will be disposed of as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. A collection center will be maintained for E-waste collection and it will be disposed off to only registered and authorized dismantler/recycler.

condition s: Standards for discharge of environmental pollutants as enshrined in various schedule of Rule 3 of Environment Protection Rule, 1986 shall be strictly complied with.

Reply: Agreed. As per Environment protection Rule 1986 standard for discharge of environment pollutant will be strictly complied.

Condition t: The project proponent shall make provision for guard pond and other provision for safety against failure in the operation of wastewater treatment facilities. The Project proponent shall also identify acceptable outfall for treated effluent.

Reply: Agreed. During failure of STP, automatic valves will be open and water will be drained out in sewerage system. Project proponent will provide guard pond.



श्री श्री जंगरा / L.R. JANGRA

12

अध्यक्ष, संयोजन शाखा / Head Co-ordination Division

श्री. ए. ए. ए. सी. / S. A. E. / G.O. N.P. DAE

भारत सरकार, नई दिल्ली / Govt. of India, S.A.R.C.

फोन - 400 055 / मुंबई - 400 055

Condition u: The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per CPCB latest standards for high capacity DO sets.

Reply: Agreed. DG Sets will have adequate stack height of 6m above maximum height of the building, and it will be ensured that emission standard of noise and air are within limits. No high capacity DG sets are being used in the project.

Condition v: All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to I at the point of connection.

Reply: Agreed.

Condition w: The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.

Reply: Agreed. The project proponent will minimize heat island effect through shading and reflective or pervious surface instead of hard surface.

Condition x: The project proponent shall not use fresh water for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.

Reply: Agreed.

Condition y: The project proponent shall ensure that the transformer is constructed with high Quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.

Reply: Agreed. Transformer constructed of high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper will be used. The project proponent will obtain manufactures certificate at time of construction.

Condition z: Water supply shall be metered among different users and different utilities.

Reply: Agreed. Water supply will be metered among different users and different utilities.

Condition aa: The project proponent shall ensure that exit velocity from the stack should be Sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.

Reply: Agreed. Stack will be designed in such a way that there will not be stack down wash under any meteorological conditions.

Condition ab: The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.

Reply: Agreed.

Condition ac: The project proponent shall provide additional green area on terrace and roof top.

Reply: Agreed.

Condition ad: The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/ (ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.

Reply: Agreed.

Condition ae: The project proponent shall install solar panel for energy conservation.

Reply: Agreed.

PART B - GENERAL CONDITIONS

Condition 1: The project proponent shall ensure the commitments made in Form I, Form IA, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.

Reply: Agreed. The environmental safeguards contained in the EIA/EMP Report are being implemented in letter and spirit.

Condition 2: The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored

data (both in hard copy as well as by email) to the northern Regional Office of MoEF, the respective Zonal Office of CPCB, HSPCB and SEIAA, Haryana.

Reply: Agreed. Hard and soft copy of six monthly compliance reports will be submitted in the month of June & December every year. Receiving of December-2015 compliance submission is attached as Annexure-XX.

Condition 3: STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be-monitored on quarterly basis. After every 3months, the project proponent shall conduct environmental audit and shall take corrective measures, if required, without delay.

Reply: Agreed. Hard and soft copy of six monthly compliance reports will be submitted in the month of June & December every year. Receiving of December- 2015 compliance submission is attached as Annexure-XXII

Condition 4: The SEIAA, Haryana reserves the right to add additional safeguards measures subsequently, if found necessary. Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.

Reply: Agreed.

Condition 5: The project proponent shall not violate any judicial orders/pronouncement issued by any court/tribunal.

Reply: Agreed. Any judicial orders/pronouncement issued by any court/tribunal will not be violated by us.

Condition 6: All other statutory clearances such as the approvals for storage of diesel from chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest conservation Act 1980 and Wildlife (Protection) Act, 1972, PLPA, 1900 etc. shall be obtained as, applicable by Project proponents from the respective authorities prior to construction of the project.

Reply: Agreed. All the required applicable clearances have been taken from the respective authority. Forest NOC is enclosed as Annexure XI& Fire NOC is enclosed as Annexure XII.

Condition 7: The project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of clearance letter at least in

एल आर जंगरा / L.R. JANGRA

असिस्टेंट, को-ऑर्डिनेशन डिवीजन / Head Co-ordination Division

एन सी पी सी डी एल ई / G.O. C.A.L.P. DAE

भारत सरकार, नई दिल्ली / Govt. of India, N.D.O.

फ़ोन - 400 085 / मोबाइल - 400 085

two local newspapers that are widely circulated in the region and the copy of the same, be forwarded to SEIAA Haryana. A copy of Environment Clearance collections shall also be put on project proponent's website for public awareness.

Reply: Agreed. Advertisement copy is enclosed as Annexure XX and XXI.

Condition 8: Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining Environmental Clearance.

Reply: Agreed. Construction will be started only after obtaining Environment Clearance from State Environment Impact Assessment Authority, Haryana vide letter no. SEIAA/HRI/2014/1385 Dated 07.11.2014. Copy of EC Letter is enclosed as Annexure XXII.

Condition 9: Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Reply: Agreed.

Condition 10: The project proponent shall put in place Corporate Environment policy as mentioned in MoEF, GoI OM No. J-HOI3/4112006-IA II (I) dated 26.4.2012 within 3 months period. Latest corporate Environment policy should be submitted to SEIAA within 3 months of issuance of this letter.

Reply: Agreed. We being a Department of Government of India, hence Corporate Environment Policy is not applicable. Instead under Entry Point Activities, the proponent has earmarked Rs. 10.0 Crore for development in neighborhood area which includes some of the specific project on environmental protection like (i) Bhindawas (Jhajjar) Bird Sanctuary, (ii) Desalination plant for village Jasaur-Kheri. The other activity includes Construction of .Girls Degree College in village Jasaur Kheri (GCNEP project site village) The proponent has committed a onetime grant of Rs 150 lakh for this activity and has already contributed Rs. 50 Lakh.

Condition 11: The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF GOI under rules prescribed for Environment Audit.

Reply: Agreed. The fund earmarked for environment protection measures kept in separate account and will not be diverted for other purposes and year wise expenditure will be reported to the SEIAA/RO MoEF GoI under rules prescribed for Environment Audit.


एल आर जंगरा / L.R. JANGRA
अध्यक्ष, संयुक्त स्तर / Head Co-ordination Division
राष्ट्रीय पर्यावरण संरक्षण आयोग, भारत सरकार / National Green Tribunal, DAE
भारत सरकार, नई दिल्ली / Govt. of India, E.A.R.C.
फ़ोन - 400 085 / Mumbai - 400 085

Condition 12: The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O. 121/PA2/1900/S.4/97 dated 28.11.1997.

Reply: Agreed.

Condition 13: The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid 'Pollution Under Control' certificate from competent Authority.

Reply: Agreed. Only valid 'Pollution under Control' certificate vehicles will be allowed to enter the project site during construction to carry construction material and as well as operation phase.

Condition 14: The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.

Reply: Agreed. Fresh Environment clearance will be taken if at any stage there is change in the planning of the proposed project.

Condition 15: Nodal Officer (Project Director) nominated by GCNEP shall be responsible for implementation of all conditions of Environmental Clearance letter.


Reply: Agreed.

Condition 16: The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM2.5, PM10, SOx, NOx, Ozone, Lead, CO, Benzene, Ammonia, Benzopyrene, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company In the public domain.

Reply: Agreed.

Condition 17: The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Reply: Agreed.


एल आर जंगरा / L.R. JANGRA
अध्यक्ष, समन्वय विभाग / Head Co-ordination Division
बी.सी.एस. ई.सी., बी.पी.ई. / GCNER, DAE
भारत सरकार, बी.पी.एस. ई.सी. / Govt. of India, E.A.R.C.
मुंबई - 400 085. / Mumbai - 400 085

Condition 18: The project proponent shall conduct environment audit at every three months Interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.

Reply: Agreed.



एल आर जंगड़ा / L. R. JANGRA

अध्यक्ष, समन्वय विभाग / Head Co-ordination Division

भारत सरकार, नई दिल्ली - 110 055

भारत सरकार, नई दिल्ली - Govt. of India, S.A.R.C

पुणे - 400 005, Maharashtra - 400 005



HARYANA STATE POLLUTION CONTROL BOARD C-11, SECTOR-6, PANCHKULA

Website - www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Telephone No. - 0172-2577870-73

No. HSPCB/Consent/ : 2821215JHAÇTE1432687

Dated: 27/02/2015

To

M/s : Global Centre for Nuclear Energy Partnership (Institute & Township)

Vill. Jasuar Kheri & Kheri Jasaur, Tel Bahadurgarh


JHAJJAR

124505

Sub. : Issue of Consent to Establish from pollution angle .

Please refer to your Consent to Establish application received in this office on the subject noted above. Under the Authority of the Haryana State Pollution Control Board vide its agenda Item No. 47.8 dated 28.04.83 sanction to the issue of "Consent to Establish" with respect to pollution control of Water and Air is hereby accorded to the unit Global Centre for Nuclear Energy Partnership (Institute & Township), for manufacturing of / Unit is a proposed institutional campus and residential township with proposing the scheme of STP of 106.4 KLD for the treatment of D.E. with the following terms and conditions:-

1. The industry has declared that the quantity of effluent shall be 106.4 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 106.4 KL/Day for Domestic and the same should not exceed .
2. The above "Consent to Establish" is valid for 24 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.


 एन आर जॉर्ज / L.R. JORGES
 अध्यक्ष, प्रदूषण नियंत्रण बोर्ड (Haryana State Pollution Control Board)
 सी. 11, सेक्टर 6, पंचकुला
 गांधी नगर, जिला पंचकुला, हरियाणा-132105
 फोन - 400 085 / 400 086 / 400 087

9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution Control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.

Specific Conditions

alk

एल आर जंगरा / L R JANGRA
 अध्यक्ष, संयोजक प्रभाग / Head Co-ordination Division
 जी सी एन ई पी, जी सी ई / G C N E P, DAE
 भारत सरकार, जी ए आर सी - Govt of India
 फ़ोन - 400 095


- 1 Green belt of adequate width shall be provided by the unit.
- 2 Unit will not discharge any trade effluent & will not use any source of emissions
- 3 Unit shall obtain trial consent to operate before start of production
- 4 The unit shall dispose plastic waste only to authorised agency for disposal of plastic waste by any state pollution control board

Other Conditions :

unit will comply with the conditions of Env Clearance granted


Senior Scientist, HQ
For and on behalf of chairman
Haryana State Pollution Control Board

---It is system generated certificate no signature is required---


एल आर जंगड़ा / L.R. JANGRA
अध्यक्ष, समन्वय विभाग / Head Co-ordination Division
सी पी एन डी सी, बी पी ई / GCNER, DAE
भारत सरकार, बी ए आर सी / Govt. of India, B.A.R.C.
मुम्बई - 400 085. / Mumbai - 400 085

Annexure II: First Aid Room






 ल. आर. जंगरा / L.R. JANGRA
 अधिकारी, स्वास्थ्य सेवा, जिला स्वास्थ्य अधिकारी, जिला
 स्वास्थ्य अधिकारी, जिला स्वास्थ्य अधिकारी, जिला
 स्वास्थ्य अधिकारी, जिला स्वास्थ्य अधिकारी, जिला
 स्वास्थ्य अधिकारी, जिला स्वास्थ्य अधिकारी, जिला

Annexure III



Drinking Water


L R JANGRA
Joint Director, Health & Family Welfare Division
District Health Officer, District, JALANDHAR
Jalandhar, Punjab-151 001



Toilet Facilities



Septic Tank

CH
Rajendra Prasad / R. JANGRA
Joint Director, Health Department, Govt. of India
Ministry of Health & Family Welfare, New Delhi
Date: 10/10/2018
Page: 24

of the waste shall be approx. 1530 kg per day (@ 0.5 kg per capita per day for residents and students, @ 0.15 kg per capita per day for the visitor, 0.25 kg per capita per day for the staff members and landscape wastes @ 15 kg/acre/day). Following arrangements will be made at the site in accordance to Municipal Solid Wastes (Management and Handling) Rules, 2000 and amended Rules, 2008.

❖ **Collection and Segregation of waste**

1. A door to door collection system will be provided for collection of domestic waste in colored bins from household units.
2. The local vendors will be hired to provide separate colored bins for dry recyclables and Bio-Degradable waste.
3. For commercial waste collection, adequate number of colored bins (Green and Blue & dark grey bins– separate for Bio-degradable and Non Bio-degradable) are proposed to be provided at the strategic locations of the commercial area.
4. Litter bin will also be provided in open areas like parks etc.

❖ **Treatment of waste**

• **Bio-Degradable wastes**


1. Bio-degradable waste will be subjected to vermicomposting and the compost will be used as manure.
2. STP sludge is proposed to be used for horticultural purposes as manure.
3. Horticultural Waste is proposed to be composted and will be used for gardening purposes.

• **Recyclable wastes**

- i. Grass Recycling – The cropped grass will be spread on the green area. It will act as manure after decomposition.
- ii. Recyclable wastes like paper, plastic, metals etc. will be sold off to recyclables.

❖ **Disposal**

Recyclable and non-recyclable wastes will be disposed through Govt. approved agency. Hence, the Municipal Solid Waste Management will be conducted as per the guidelines of Municipal Solid Wastes (Management and Handling) Rules, 2000 and amended Rules, 2008. A Solid waste management Scheme is depicted in the following figure for the Residential Group Housing Colony Project.


श्री श्री जंगरा / L R JANGRA
अधीक्षक, संयोजन विभाग / Head Co-ordination Division
श्री श्री जंगरा, जिला, श्री श्री / J. G. JANGRA
अधीक्षक, संयोजन विभाग, जिला, श्री श्री / J. G. JANGRA
फोन : 400 055 / 400 056





Figure 2: Solid Waste Management Scheme (Operation Phase)


एल आर जंगड़ा / L.R. JANGRA
 अध्यक्ष, संपर्क प्रभाग / Head Co-ordination Division
 जी सी एन डी पी, जी ए ई / G.C.N.E.R.DAE
 भारत सरकार, जी ए आर सी / Govt. of India, G.A.R.C.
 मुम्बई - 400 005 / Mumbai - 400 005

ANNEXURE V: PHOTOGRAPH SHOWING STORAGE OF TOP SOIL



21
श्री श्री जंगरा L.R. JANGRA
प्र. प्र. विभाग, जंगरा, जंगरा विभाग, जंगरा
श्री श्री जंगरा, जंगरा विभाग, जंगरा
जंगरा विभाग, जंगरा विभाग, जंगरा
जंगरा विभाग, जंगरा विभाग, जंगरा

ANNEXURE VI: COVERED CONSTRUCTION MATERIAL

[illegible]

Annexure VII

Test Report

Report Code: A20160430-001

Issue Date: 30.04.2016

Issued To: GCNEP Vill.KheriJasaur,Jhajjar, Haryana

Analysis Duration: 07.04.2016 to 29.04.2016

Sample Description: Ambient Air

RESULTS

Ambient Air Quality Analysis

SAMPLING DETAILS

Sampling Location	: Project Site
Sample Collected by	: Mr. Narendra
Sampling Protocol	: GRC/LAB/STP/AIR/01
Weather Condition	: Clear Sky
Sampling Duration	: 24 Hours
Sampling Duration for CO	: 1 Hour
Sampler Location w.r.t. Height	: 4.0 Meter above Ground Level
Sample Packing & Marking	: Plastic Bottle / Zip Polybag & GC/APR/A001-008

S. No.	Date	Test Parameter				
		Particulate Matter (PM2.5); $\mu\text{g}/\text{m}^3$ GRC/LAB/STP/AIR/03, Gravimetric Method	Particulate Matter (PM10); $\mu\text{g}/\text{m}^3$ IS 5182 (Part 23):2006	Sulphur Dioxide (SO_2); $\mu\text{g}/\text{m}^3$ IS 5182 (Part 2):2001, Reaff.2006	Nitrogen Dioxide (NO_2); $\mu\text{g}/\text{m}^3$ IS 5182 (Part 6):2006	Carbon Monoxide, (CO) $\mu\text{g}/\text{m}^3$ IS 5182 (Part 10):1999, Reaff. 2003
1	06.04.2016	65.9	153.6	6.8	16.1	750
2	09.04.2016	54.4	149.8	6.5	18.6	860
3	12.04.2016	62.1	149.0	6.1	15.4	730
4	15.04.2016	65.3	141.9	5.7	12.8	640
5	18.04.2016	55.0	157.1	6.6	16.6	790
6	21.04.2016	66.3	170.7	7.4	19.1	840
7	24.04.2016	61.4	139.7	6.8	15.8	700
8	27.04.2016	63.7	151.8	7.3	18.4	890

****End of Report****

Authorized Signatory
(Seal & Signature)

Note:

1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product
2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.
4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for bacteriological testing will be destroyed after one week of testing.

Test Report

Report Code: W20160419-001

Issue Date: 19.04.2016

Issued To : GCNEP Vill.Kheri Jasaur, Jhajjar, Haryana

Sample Received on: 07.04.2016

Analysis Duration: 08.04.2016 to 18.04.2016

Sample Description: Ground Water

RESULTS

Water Quality Analysis

SAMPLING DETAILS

Date of Sampling	: 07.04.2016
Sampling Location	: Project Site
Sample Collected by	: Mr. Narendra
Sampling Protocol	: IS-3025(Pt-1)-1987 Reaff: 2003 & IS-1622- 1981(Reaff.2003)
Weather Condition	: Clear Sky
Sample Quantity	: 5 L+500 ml
Sample Packing & Mark	: Plastic/ Glass Bottle &GC/APR/GW1

S. No.	Parameters	Units	Limits (as per IS:10500-2012)		Results	Test Method
			Desirable Limit	Permissible Limit		
1	Color	Hazen	5	15	<5	IS : 3025(Pt-4) 1983, Reaff. 2003
2	Odour	-	Agreeable	Agreeable	Agreeable	IS : 3025(Pt-5) 1983, Reaff. 2002
3	Taste	-	Agreeable	Agreeable	Agreeable	IS : 3025(Pt-8)-1984, Reaff. 2006
4	Turbidity	NTU	1	5	<1	IS: 3025(Pt-10)-1984,Reaff. 2006
5	pH	-	6.5-8.5	No Relaxation	7.82	IS : 3025(Pt-11)1983, Reaff. 2002
6	Total Hardness (as CaCO ₃)	mg/l	200	600	335	IS : 3025(Pt-21)1983, Reaff. 2009
7	Iron (as Fe)	mg/l	0.3	No Relaxation	0.23	APHA 22 nd Ed., 3120B (ICP-OES)/ 3111B (AAS),
8	Chlorides (as Cl)	mg/l	250	1000	330	IS : 3025(Pt-32)1988, Reaff. 2003
9	Fluoride (as F)	mg/l	1	1.5	1.4	APHA 22 nd Ed., 4500F(D)
10	TDS	mg/l	500	2000	1326	IS: 3025(Pt-16)1984, Reaff. 2006
11	Calcium (as Ca ²⁺)	mg/l	75	200	80	IS : 3025(Pt-40)1991, Reaff. 2003
12	Magnesium (as Mg ²⁺)	mg/l	30	100	32	APHA 22 nd Ed., 3500-Mg (B)
13	Copper (as Cu)	mg/l	0.05	1.5	<0.01	APHA 22 nd Ed., 3120 B (ICP-OES)/ 3111B (AAS)
14	Manganese(as Mn)	mg/l	0.1	0.3	0.03	APHA 22 nd Ed., 3120 B (ICP-OES)/ 3111B(AAS)
15	Sulphate (as SO ₄)	mg/l	200	400	130	IS : 3025(Pt-24)1986, Reaff. 2003

Authorized Signatory
(Seal & Signature)

Note: 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory

4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report

Report Code: S20160419-001

Issued To: GCNEP Vill.Kheri Jasaur Jhajjar Haryana

Sample Description: Soil

Issue Date: 19.04.2016

Sample Received on: 07.04.2016

Analysis Duration: 08.04.2016 to 18.04.2016

RESULTS

Soil Quality Analysis

SAMPLING DETAILS

Date of Sampling	: 07.04.2016
Sampling Location	: Project Site
Sample Collected by	: Mr. Narendra
Sampling Protocol	: GRC/LAB/STP/SOIL/01
Weather Condition	: Clear Sky
Sample Quantity	: 5 kg
Sample Packing & Marking	: Zip Polybag; GC/APR/SQ1

S. No.	Parameters	Units	Results	Test Method
	Texture	-	Sandy Loam	
1	Sand	%	63.4	IS: 2720 (part-4), 1985 (Reaff:2006)
	Silt	%	17.9	
	Clay	%	18.7	
2	pH (1:2 Suspension)	-	7.56	IS: 2720 (part-26), 1987 (Reaff:2007)
3	Electrical Conductivity (1:2)	µmhos/cm	312	IS: 14767(2002)
4	Cation exchange capacity	meq/100 gm	14.1	IS : 2720 (Part-24)-1976(Reaff.2005)
5	Exchangeable Potassium	meq/100 gm	0.34	GRC/LAB/STP/SOIL/07
6	Exchangeable Sodium	meq/100 gm	0.78	GRC/LAB/STP/SOIL /06
7	Exchangeable Calcium	meq/100 gm	9.46	GRC/LAB/STP/SOIL/ 08
8	Exchangeable Magnesium	meq/100 gm	3.56	GRC/LAB/STP/SOIL/ 08
9	Sodium Absorption Ratio	-	0.97	GRC/LAB/STP/SOIL/20
10	Water Holding Capacity	%	25.3	GRC/LAB/STP/SOIL/13
11	Porosity	%	39.4	GRC/LAB/STP/SOIL/19
12	Permeability	cm/hrs	2.1	IS : 2720 (Part-17)-1986(Reaff.2002)
13	Total kjehdahl Nitrogen	%	0.046	GRC/LAB/STP/SOIL/18
14	Phosphorus(Olsen's)	mg/kg	7.8	GRC/LAB/STP/SOIL/10
15	Organic Matter	%	0.39	IS : 2720 (Part-22)-1972(Reaff.2006)

****End of Report****


Authorized Signatory
(Seal & Signature)

Note: 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product
2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory
4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report

Report Code: N20160413-001

Issue Date: 13.04.2016

Issued To : GCNEP Vill.KheriJasaur,Jhajjar, Haryana

Data Received on:12.04.2016

Sample Description: Ambient Noise

RESULTS **Ambient Noise Level**

MONITORING DETAILS

Date of Monitoring : 11.04.2016
Monitoring Done by : Mr. Narendra
Monitoring Protocol : GRC/LAB/STP/NOISE/01
Weather Condition : Clear Sky
Monitoring Duration : 24 Hours

S. No.	LOCATION	ZONE	Limit for As Per E(P)A,1986 ;Leq, dB (A)		Observed Value Leq, dB (A)	
			Day Time*	Night Time**	Day Time*	Night Time**
1	Project Site	Commercial Area	65	55	60.4	49.8
	* Day Time	6.00 a.m. to 10.00 p.m				
	**Night Time	10.00 p.m. to 6.00 a.m.				

****End of Report****


Authorized Signatory
(Seal & Signature)

Note: 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product
2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory
4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

Test Report

Report Code: W20160419-001

Issue Date: 19.04.2016

16	Nitrate(as NO ₃)	mg/l	45	No Relaxation	26	IS : 3025(Pt-34)1988, Reaff. 2003
17	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.001	APHA 22 nd Ed., 5530 (c)
18	Mercury (as Hg)	mg/l	0.001	No Relaxation	<0.001	APHA 22 nd Ed. 3120 B (ICP-OES-VGA), 3112 (AAS-VGA)
19	Cadmium (as Cd)	mg/l	0.003	No Relaxation	<0.01	APHA 22 nd Ed. 3120 B (ICP-OES)/3111B (AAS)
20	Selenium (as Se)	mg/l	0.01	No Relaxation	<0.01	APHA 22 nd Ed., 3120 B (ICP-OES)/3114, AAS-VGA
21	Arsenic (as As)	mg/l	0.01	0.05	<0.01	APHA 22 nd Ed., 3120 B (ICP-OES)/3114, AAS-VGA
22	Cyanide (as CN)	mg/l	0.05	No Relaxation	<0.01	APHA 22 nd Ed., 4500 CN
23	Lead (as Pb)	mg/l	0.01	No Relaxation	<0.01	APHA 22 nd Ed., 3120 B (ICP-OES)/3111B AAS
24	Zinc (as Zn)	mg/l	5	15	0.09	APHA 22 nd Ed., 3120 B (ICP-OES)/3111 B (AAS)
25	Anionic Detergent (as MBAS)	mg/l	0.2	1	<0.01	APHA 22 nd Ed., 5540 (c)
26	Chromium (as Cr ⁶⁺)	mg/l	0.05	No Relaxation	<0.01	IS : 3025(Pt-52)-2003
27	Mineral oil	mg/l	0.5	No Relaxation	<0.1	IS: 3025(Pt-39)1991, Reaff. 2003
28	Alkalinity (as CaCO ₃)	mg/l	200	600	410	IS: 3025(Pt-23)1986, Reaff. 2003
29	Aluminum (as Al)	mg/l	0.03	0.2	<0.02	APHA 22 nd Ed. 3120 B (ICP-OES)/3111 B (AAS)/IS 3025 (pt-55)2003
30	Boron (as B)	mg/l	0.5	1	0.3	IS: 3025(Pt-57):2005, APHA 22 nd Ed., 3120 B (ICP-OES)

Bacteriological Parameters

1	Total Coli form	MPN/100ml	Shall Not Be Detectable	Not Detected (<2)	IS : 1622-1981 (Reaff.2003)
2	E.coli	E.coli/100ml	Shall Not Be Detectable	Absent	IS : 1622-1981 (Reaff.2003)

**** End of Report ****


Authorized Signatory
(Seal & Signature)


Note: 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory

4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after one week of testing.

ANNEXURE VIII



DR.
THE SHRI SHRI L R JANGRA
WALL, BUILT BY THE SHRI SHRI JANGRA
WALL, BUILT BY THE SHRI SHRI JANGRA
WALL, BUILT BY THE SHRI SHRI JANGRA
WALL, BUILT BY THE SHRI SHRI JANGRA


ANNEXURE IX



Cement storage



Batching Plant


 H. R. JANGRA
 Director, J. P. S. College, J. P. Nagar, Dehra Dun
 District, U. P.
 22nd April 1964

POWER REQUIREMENT

Power Requirement:


- The total estimated power requirement for GCNEP Campus (Phase-I) is 1250 KVA.
- The total estimated power requirement for GCNEP residential (Phase-I) is 450 KVA.
- Source: UHBVN (Uttar Haryana Bijli Vitran Nigam).
- The energy consumption assumed is 10W/Sq. ft (including HVAC power requirement) for Campus area & 2 W/Sq.ft. (including AC & water heater power requirement) for Residential area.

Backup Power supply details :

- 2 nos. DG set of 625 KVA capacities will be used as backup for Campus.
- 2 nos. DG set of 160 KVA capacities will be used as backup for Residential Township.

एल आर जॉइंट / L R JANGRA
अध्यक्ष, संयोजक प्रभाग / Head Co-ordination Division
जी सी एन ई सी, जी ए ई / GCNEP DAE
भारत सरकार, जी ए ई भवन सी / Govt. of India, B.A.R.O.
मुंबई 400 005 / Mumbai - 400 005


ENERGY BALANCE (CAMPUS)



PROJECT:		GLOBAL CENTER FOR NUCLEAR ENERGY PARTNERSHIP, BAHADURGARH, HARYANA	TITLE:	ENERGY (POWER) BALANCE PLAN	PRELIMINARY DRAWING
REF. ORG. NO.:		47T20260-C/S-AR-1002	REV. 0	DATE	DRAWN
DESIGN NO.:		DCSE/F&M/GCNEP/CS/02/1546	DESIGNED	CHECKED	APPROVED
SCALE		N.T.S.	03.09.24	S.M.	S. JAYARAM

एल आर जॉइन्डा / L R JANGRA
अध्यक्ष, सहाय्य प्रभाग / Head, Co-ordination Division
की सेवा में, श्री ए. ई. / G.C.N.E.P. DAE
प्रभाग, एल आर जॉइन्डा / Cont. of India, E.A.R.C.
अध्यक्ष, एल आर जॉइन्डा / Cont. of India, E.A.R.C.

ENERGY BALANCE (TOWNSHIP)



GOVT. OF INDIA
DIRECTORATE OF CONSTRUCTION
SERVICES AND ESTATE MANAGEMENT
ELECTRICAL AND MECHANICAL DESIGN SECTION
10000, BARODA ROAD, RAIPUR, INDIA-492004

PRELIMINARY DRAWING

ENERGY (POWER) BALANCE PLAN

PROJECT: GLOBAL CENTER FOR NUCLEAR ENERGY PARTNERSHIP, BAHADURGARH, HARYANA

TITLE: G.C.N.E.P. - TOWNSHIP SITE

REF. NO. DCSE/ELM/GCNEP/TS/02/1547
SCALE DATE DRAWN DESIGNED CHECKED APPROVED
N.T.S. 03-09-14 S.M. S. JADHAV

एल. आर. जंगरा / L. R. JANGRA
अध्यक्ष, संशोधन एवं निर्माण / Head Co-ordination Division
भारतीय परमाणु शक्ति आयोग / Bhabha Atomic Research Centre
भारत सरकार, अणु ऊर्जा विभाग, मुंबई-400004

वन मण्डल अधिकारी (क्षेत्रीय), झज्जर

बाग जौहआरा स्टेडियम, नजदीक DSP Residence, झज्जर

दूरभाष 01251-257258 e-mail:- dfojajjar@yahoo.co.in, dfojajjar@rediffmail.com

सेवा में:-

Ms. Y.S. Mayya, OS
Project Director, GCNEP
(Global Centre for Nuclear Energy Partnership),
DAE, Govt. of India,
RCnD, BARC, Mumbai-85.

क्रमांक:- 3293 दिनांक:- 27-12-13

विषय:- Construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at Kheri-Jassor and Jassor-Kheri village, Bahadurgarh in the State of Haryana.

संदर्भ:- आपका पत्रांक GCNEP/81 दिनांक 26.12.2013

--00--

उपरोक्त विषय के सम्बन्ध में आप द्वारा प्रस्तुत किये गये खसरा न0 व किला न0 में किसी प्रकार की वन भूमि शामिल नहीं है। इसलिये आप द्वारा प्रस्तुत किये गये खसरा न0 व किला न0 में Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) का निर्माण करने पर इस कार्यालय को कोई आपत्ति नहीं है।

संलग्न - उपरोक्त खसरा न0

वन मण्डल अधिकारी,
झज्जर।

एस आर जंगरा / L R JANGRA
अध्यक्ष, संयोजक विभाग / Head Co-ordination Division
के-सी एन ई पी, सी ए ई / GCNEP DAE
भारत सरकार, सी ए आर नो / Govt. of India, BARC
मुंबई - 400 085, Mumbai - 400 085

JOHN WOOD, JR. and RICHARD BARK

From,

Fire Station Officer,
Bahadurgarh(Jhajjar)

To,

Director,
Haryana Fire Service,
Bays No.11-14, Sector-4,
Panchkula (Haryana)

No. 1681FSB

Dated 07-05-2015

Subject:- Approval of part fire fighting scheme Educational Building of School Of Nuclear Security Studies (SNSS) of Global Center for Nuclear Energy Partnership (GCNEP) in the Village- Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR).

Global Center for Nuclear Energy Partnership (GCNEP), Village - Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR) has applied the subject cited above case for approval of fire fighting scheme of Educational Building of School of Nuclear Security Studies (SNSS) from fire safety point of view.

I have inspected the site and examined the fire fighting scheme in the above said building (Shown in plan and Questionnaire) and found that the building having Maximum Height of Building is 16.15 mtrs, Occupied Height is 13.15 mtrs and Total Plot Area is 522515.73 Sq. mtrs and Total plot Area of Education building is 7552.74 sq.mts and covered area of building is 2175.26 sqm. Proposed Fire Fighting scheme of the building as per National Building Code of India 1983 Part-IV Revised 2005 and type of occupancy group-B, Sub B-1(ii). Detail of Proposed fire fighting scheme as under:-

Sr. No	Installation norms as per NBC	Required	Proposed Installation of fire fighting scheme
1	Fire extinguishers	Yes	Yes
2	Hose Reel	Yes	Yes
3	Under ground water storage Tank	NA	Yes cap. 50 KL
4	Terrace water Tank	Yes	Yes cap.10 KL
5	Down Comer	Yes	Yes provided
6	Yard Hydrant	Yes	Yes
7	Pump	Yes	Terrace Pump 450 LPM

The Proposed part fire fighting scheme in the building were checked and found as per National Building Code of India 1983 Part-IV revised 2005. I recommending above said case for approval of part Fire Fighting scheme of Educational building so that permission of part Fire Fighting Scheme can be issued to the applicant.

(Signature)
Fire Station Officer,
Bahadurgarh (Jhajjar)

(Signature)
एल आर जंगड़ा / L R JANGRA
अध्यक्ष, समन्वय विभाग / Head Co-ordination Division
ग्लोबल सेंटर फॉर न्यूक्लियर एनर्जी पार्टनरशिप / GCNEP, DAE
भारत सरकार - नई दिल्ली / Govt. of India, B.A.R.C
फ़ोन - 480 9005, फ़ैक्स - 480 935

From,

Fire Station Officer,
Bahadurgarh(Jhajjar)

To,

Director,
Haryana Fire Service,
Bays No.11-14, Sector-4,
Panchkula (Haryana)

No. 169/PB

Dated 07.05-2015

Subject:- Approval of part fire fighting scheme Residential Building - Guest House Block A of Global Center for Nuclear Energy Partnership (GCNEP) in the Village-Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh-Distt. Jhajjar (HR).

Global Center for Nuclear Energy Partnership (GCNEP), Village - Kheri Jassaur and Jassaur Khari Tehsil- Bahadurgarh Distt. Jhajjar (HR) has applied the subject cited above case for approval of part fire fighting scheme of Residential Building for Guest House Block A from fire safety point of view.

I have inspected the site and examined the fire fighting scheme in the above said building (Shown in plan and Questionnaire) and found that the building having Maximum Height of Building is 10.7 mtrs, Occupied Height is 7.8 mtrs and Total Plot Area is 424021.48 Sq. mtrs and Total plot Area of Guest House Block A building is 7748.35 sq.mts and covered area of building is 1261.65 sqm. Proposed Fire Fighting scheme of the building as per National Building Code of India 1983 Part-IV Revised 2005 and type of occupancy group-A. Detail of Proposed fire fighting scheme as under:-

Sr. No	Installation norms as per NBC	Required	Proposed Installation of fire fighting scheme
1	Fire extinguishers	Yes	Yes
2	Hose Reel	Yes	Yes
3	Terrace water Tank	Yes	Yes cap.10 KL
4	Down Comer	Yes	Yes provided
5	Internal Hydrant	Yes	Yes
6	Pump	Yes	Terrace Pump 450 LPM

The Proposed part fire fighting scheme in the building were checked and found as per National Building Code of India 1983 Part-IV revised 2005. I recommending above said case for approval of part Fire Fighting scheme of Guest House Block A building so that permission of part Fire Fighting Scheme can be issued to the applicant.

Fire Station Officer,
Bahadurgarh (Jhajjar)

एल आर जंगरा / L.R. JANGRA

अध्यक्ष, संयोजन विभाग / Head Co-ordination Division

गो गो एन ई पी, गो गो ई / GCNEP, DAE

भारत सरकार, गो गो एन ई पी / Govt. of India, S.A.R.C

मुंबई - 400 053. / Mumbai - 400 053

Ref: GCNEP / File/01

Date: 26th December 2013


To
Project Director, GCNEP
Reactor Control Division,
Bhabha Atomic Research Centre
Mumbai.


Sub: *Construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at KheriJasaur and JasaurKheri village in the State of Haryana*
- Electric Supply for GCNEP Campus & Township

Ref: 1. Your letter dated 26.12.13 and Check list received from State Environment Impact Assessment Authority (SEIAA).

Dear Sir,

This is to assure you that the necessary Electricity supply shall be provided for both villages at KheriJasaur and Jasaur Kheri villages, for setting up GCNEP project. *as per letter to SEIAA*


एल आर जौंगड़ा / L. R. JANGRA
अध्यक्ष, समन्वय प्रभाग / Head Co-ordination Division
जी सी एन ई पी, सी ग ई / GCNEP, DAE
भारत सरकार, श्री ए आर सी / Govt. of India, B.A.R.C
मुंबई - 400 085. / Mumbai - 400 085


S.D.D. HBVN,
Bahadurpur, Haryana.



Government of India
भारत सरकार

Phone: +912225595204

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र

GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Y. S. Mayya, OS

Project Director, GCNEP

Date: 26th December 2013

Ref: GCNEP / 83

To
The Chairman, SEIAA
Parytan Bhawan
1st Floor, Sector-2, Panchkula
Tel: 0712 2565232

Sub: *Construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at Kheri Jasaur and Jasaur Kheri village in the State of Haryana.*

- Submission of Form-1, Form-1A, Environmental Management Plan and Conceptual Plan for Environmental Clearance

Ref: 1. Department's proposal submitted on 30 October 2013.
2. Check list received from State Environment Impact Assessment Authority (SEIAA) dated 06.11.2013 received on 09.12.13.

Dear Sir,

Department of Atomic Energy, Government of India decided to set up institutional campus and residential township for Global Centre for Nuclear Energy Partnership (GCNEP) project at Kheri Jasaur and Jasaur Kheri village near Bahadurgarh, in the State of Haryana.

The details of the project were submitted to your office with reference to point no.1.

Further as per the prerequisite in check list above referred at point no.2, We Undertake the following:-

- That no construction has been started at the site along with latest attested photograph.
- That we will not encroach the revenue rasta passing through the project area shown in the zoning plan and layout plan.
- That we will keep the ROW required for HT wire passing through the project area as per Government instruction.
- That we will not use ground water for construction and will use treated water confirmation the ISI standards for building construction.
- That we will use ultra low sulphur diesel.
- That provision for Helipad shall be made in case of the building having height more than 6 meter. Provision of atleast one Hydraulic ladder for high rise building shall also be made.
- The infrastructure will not obstruct or divert the natural flow of water covered or open nallah, drainage of rain water as per natural flow of water.

Thanking you

Yours faithfully

Y. S. Mayya


Project Director, GCNEP
Reactor Control Division, Bhabha Atomic Research Centre
Tel: 022 2559 5204
E-mail: ysmayya@barc.gov.in

Y. S. MAYYA
Project Director, GCNEP
DAE, Govt. of India
RCnD, BARC, Mumbai-85

वाई.एस. मय्या / Y.S. Mayya
प्रमुख निदेशक / Project Director
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र (जी.सी.एन.ई.पी.)
Global Centre for Nuclear Energy Partnership (GCNEP)
भारत सरकार / Government of India
प्रमुख नियंत्रण प्रभाग / Reactor Control Division
भारत सरकार / Bhabha Atomic Research Centre, Mumbai-400085

Global Centre for Nuclear Energy Partnership
Reactor Control Division
Trombay, Mumbai - 400085

258



Site Barricade with High wall

01/11/2018
THE HON. MINISTER, L.R. JANGRA
MINISTRY OF LAW AND ORDER, GOVT. OF INDIA
NEW DELHI-110002
FOR INFORMATION OF THE HON. MINISTER
THAT THE SITE BARRICADE WITH HIGH WALL

xvi



nd

[illegible]

ANNEXURE XVII




Proper Rasta

(Signature)


श्री अरुण कुमार लाल जंगरा
 प्रमुख, जिला पंचायत, जिला पंचायत, जिला पंचायत
 जिला पंचायत, जिला पंचायत, जिला पंचायत
 जिला पंचायत, जिला पंचायत, जिला पंचायत

MASTER PLAN - INSTITUTIONAL CAMPUS




Name of Building	Area (in sq. m.)
Central Building	9,291
SNSS	3,451
SARRT	2,522
Service Building	3,215
BUILT-UP AREA	18,479
SITE AREA	32.73 ha

MASTER PLAN - RESIDENTIAL TOWNSHIP



Name of Building	Area (in sq. m.)
GUEST HOUSE - BLOCK A	2,475.79
GUEST HOUSE - BLOCK B	3,858.03
Service Building	1619.18
TOTAL BUILT-UP AREA	7953.00
SITE AREA	13.66 ha




६५५ ॐ श्री गणेशाय नमः / L R JANGRA

अध्यक्ष, समन्वय प्रार्थी / Head Co-ordination Division

제 1 장 제 1 조 제 1 호 / GCHNP, DAE

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$



PARKING & CIRCULATION MASTER PLAN - TOWNSHIP

LEGEND



Parking




Vehicular Movement



Bicycle Tracks



Pedestrian Movement



एन आर जंगरा / L.R. JANGRA
अध्यक्ष, सहायक आयुक्त / Head Co-ordination Division
जी.पी.एन.ई.टी. जं. र. र. / G.C.N.E.P. DAE
नवी मुंबई, जी.पी.एन.ई.टी. / Govt. of India, B.A.R.C.
फ़ोन: 400 085 / Mumbai - 400 085



Phone: +912225595204

परमाणु ऊर्जा विभाग
Department of Atomic Energy
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र
GLOBAL CENTRE FOR NUCLEAR ENERGY PARTNERSHIP



Ref: GCNEP/MoEF/ 43

Dated: 7/3/2016

To,
Regional Office,
Ministry of Environment & Forest (Northern Region)
Bays No: 24-25, Sector-31 A,
Dakshin Marg, Chandigarh-160030

Received
परमाणु ऊर्जा विभाग
वैश्विक नाभिकीय ऊर्जा साझेदारी केन्द्र
GCNEP, BARC, Mumbai
7/3/2016

Subj: Half Yearly Compliance Report (Session:- July 2015 to Dec 2015) of the stipulated Environmental Conditions/Safeguards in the Environmental Clearance Letter and Environmental Monitoring Report of Institutional Campus and Residential Township for Global Center for Nuclear Energy Partnership (GCNEP) at Village Kheri Jasaur and Jasaur Kheri, District Jhajjar, Haryana by GCNEP.

Ref: Environmental Clearance No. SEIAA/HR/2014/1385 Dated 7th November 2014

Dear Sir,

This is in reference to the above mentioned Environmental Clearance No. SEIAA/HR/2014/1385 Dated 7th November 2014 in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:

1. 2nd report (Jul to Dec-2015) Point-wise compliance of the stipulated environmental conditions/ safeguards, along with necessary documents & annexures.
2. Environmental monitoring report.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted to us.

Thanking you,

Yours Sincerely,


Y. S. Mayya
Project Director, GCNEP
BARC, Mumbai-400085
Email: ysmayya@barc.gov.in

- CC: 1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Secretary SEIAA, Bay No.55-58, Parytan Bhawan 1st Floor Sector-2, Panchkula, Haryana.

Project Directorate: GCNEP, Reactor Control Division, BARC, Mumbai - 400085, Phone-022-25595176
Transit office Address: GCNEP Transit Office, 2nd floor, BSNI, Exchange, Bahadurgarh, Haryana-124507, Phone: 01776 220700
Site Address: GCNEP, Village Kheri Jasaur, Bahadurgarh, Distt. Jhajjar, Haryana PIN - 124505, Phone: 01276-211121

एल आर जंगरा / L. R. JANGRA
अध्यक्ष, समन्वय प्रभाग / Head Co-ordination Division
बी.पी.ए.ई.पी.डी.ए.ई. / B.P.E.I.P.D.I.E.
भारत परमाणु, बी.पी.ए.ई.पी.डी.ए.ई. / Govt. of India, BARC
मुंबई - 400 085 / Mumbai - 400 085

मनी लॉन्ड्रिंग मामले में चार्जशीट दाखिल

[illegible]

ન્યૂઝ ડાયરી

[illegible][illegible][illegible]

Overall, but the hard truth is that the country is still a long way from being a democracy. The political system is still a long way from being a democracy. The political system is still a long way from being a democracy.

N. announced that the National Human Rights Council would also visit Mozambique to report on the UN's annual observations of the 19th annual Session of the African Commission on Human and Peoples' Rights. The SAHRC Summit would also attend to estimate the human rights abuses of all the SAARC member countries in Mozambique. Nepal Human Rights Commission will also participate in the meeting. The Mozambique government officials and a civil and labour group leaders will attend to the human rights summit.

CENTRAL INSTITUTE FOR COTTON RESEARCH
INDUSTRIAL STATISTICS WARD, FAYETTEVILLE, AR
Phone BR 6166-2704/28 FAX BR 6166-727/71
E-mail: BR 6166-2704; URL: Date 20 11 2015

WALK-IN INTERVIEW

1. Name: _____
2. Address: _____
3. City: _____
4. State: _____
5. Zip: _____
6. Phone: _____
7. E-mail: _____
8. Date: _____

9. Interviewer: _____
10. Interview Date: _____
11. Interview Time: _____
12. Interview Location: _____
13. Interviewer's Signature: _____
14. Interviewer's Title: _____
15. Interviewer's Department: _____
16. Interviewer's Office: _____
17. Interviewer's Phone: _____
18. Interviewer's Fax: _____
19. Interviewer's E-mail: _____
20. Interviewer's URL: _____

[illegible][illegible]

रतार जाँडा / L R JANGRA
अध्यक्ष, संस्थापक अध्यक्ष / Chairman, Constituent Division
W.D.N.E.P. DAE
Min. Govt. of India, G.A.R.C.
P.O. Box 685, / Mumbai - 400 005

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.

No. SEIAA/HR/2014 / 1385

Dated: 07-11-2014

To

The Project Director,
 GCNEP, Department of Atomic Energy,
 Government of India, Reactor Control Division,
 Bhabha Atomic Research Centre,
 Trombay, Mumbai-400085

Subject: Environmental Clearance for construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at Village Kheri Jasaur and Jasaur Kheri District Jhajjar in the state of Haryana.

Dear Sir,

This letter is in reference to your application no. GCNEP/82 dated 26.12.2013 addressed to M.S. SEIAA, Haryana received on 30.12.2013 and subsequent letter dated 10.03.2014 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MOEF, GOI vide their Notification 23.3.2012, in its meetings held on 27.01.2014, 28.04.2014, 22.07.2014, 13.08.2014 and 09.09.2014 awarded "Gold" grading to the project.

[2] It is inter-alia, noted that the project involves the construction of Institutional Campus and Residential Township for Global Centre for Nuclear Energy Partnership (GCNEP) at village Kheri Jasaur and Jasaur Kheri District Jhajjar in the state of Haryana on a plot area of 113.66 Acres (46.39 hect = 32.73 for campus+ 13.66 hect from township). The proposed total built up area shall be 26432 sqm (18489 smt institutional campus + 7953 sqm residential township). The project shall comprise of Institutional Campus shall have central building, SNSS, SARRT and Service buildings. The project proponent has proposed to seek separate environment clearance for development of the remaining part of project as per the procedure laid down in the notification under expansion after the approval of the competent authority in Govt. of India is obtained. The total water requirement shall be 463 KLD. The waste water generation shall be 106.40 KLD, which will be treated in the 02 STPs having capacity of 67 KLD and 60 KLD. The entire treated water shall be recycled and re-used. The total power requirement shall be 1700 KVA which will be supplied by HBVNL. The Project Proponent has proposed to develop green belt on 32% for the institutional campus and 30.08% for residential township. The Project Proponent proposed to construct 50 rain

एल आर जॉंगरा / L R JANGRA
 अध्यक्ष, समन्वय विभाग / Head Co-ordination Division
 जी सी एन ई सी डी ए / GCNEP, DAE
 भारत सरकार, नई दिल्ली / Govt. of India, B.A.R.C
 मुंबई - 400 085 / Mumbai - 400 085

water harvesting pits. The solid waste generation will be 1530 kg/day. The bio-degradable waste will be treated in the project area by adopting appropriate technology. The total parking spaces proposed are 395 ECS.

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of environmental clearance for the project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority in its meeting held on 14.10.2014 decided to agree with the recommendations of SEAC to accord necessary environmental clearance for the project under Category 8(a) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below:-

PART A-
SPECIFIC CONDITIONS:-
Construction Phase:-

- [1] "Consent for Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.
- [2] A first aid room as proposed in the project report shall be provided both during construction and operational phase of the project.
- [3] Adequate drinking water and sanitary facilities shall be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the labourers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.
- [4] All the topsoil excavated during construction activities shall be stored for use in horticulture/landscape development within the project site.
- [5] The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- [6] Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.

- [7] The diesel generator sets to be used during construction phase shall be of ultra low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- [8] The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- [9] Ambient noise levels shall conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air pollution and noise level during construction phase, so as to conform to the stipulated residential standards of CPCB/MoEF.
- [10] Fly ash shall be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and as amended on 27th August 2003.
- [11] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [12] Water demand during construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices.
- [13] Roof must meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.
- [14] Opaque wall must meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [15] The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.
- [16] The Project Proponent as stated in proposal shall construct 50 nos. rain water harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pit. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.
- [17] The project proponent shall provide for adequate fire safety measures and equipments as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority/Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding fire safety scheme/NOC from competent Authority as required.

- [18] The Project Proponent shall obtain assurance from the HBVNL for supply of 1700 KVA of power supply before the start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.
- [19] Detail calculation of power load and ultimate power load of the project shall be submitted to HBVNL under intimation to SEIAA Haryana before the start of construction. Provisions shall be made for electrical infrastructure in the project area.
- [20] The Project Proponent shall not raise any construction in the natural land depression / Nallah/water course and shall ensure that the natural flow from the Nallah/water course is not obstructed.
- [21] The Project Proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.
- [22] Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Gountry Department Haryana.
- [23] The Project Proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.
- [24] The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.
- [25] The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.
- [26] The Project Proponent shall provide 2 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.
- [27] The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.
- [28] The project proponent shall provide proper rasta of proper width and proper strength for the project before the start of construction.
- [29] The project proponent shall ensure that the U-value of the glass is less than 3.177 and maximum solar heat gain co-efficient is 0.25 for vertical fenestration.
- [30] The project proponent shall adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project Proponent shall provide respiratory protective equipment to all construction workers.
- [31] The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.

रतार अरु अरु / L. R. JANGRA

अरु अरु / अरु / Head Co-ordination Division

अरु अरु / अरु / G.O.N.E.P. DAE

अरु अरु / अरु / Govt. of India, B.A.R.C

अरु अरु / 400 065 / Mumbai - 400 025

- [32] The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start of construction.
- [33] The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDA/ Local authorities beside other required services before taking up any construction activity.
- [34] The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.
- [35] The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.
- [36] The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.
- [37] The project proponent shall seek separate environment clearance for development of the remaining part of project as per the procedure laid down in the notification under expansion after the approval of the competent authority in Govt. of India is obtained.
- [38] The project proponent shall be self integrated with respect to services infrastructure and shall be independent for all the purposes.

Operational Phase:

- [a] "Consent to Operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.
- [b] The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total Phosphorus to the extent of less than 2mg/liter. Similarly total Nitrogen level shall be less than 2mg/liter in tertiary treated waste water. Discharge of treated sewage shall conform to the norms and standards of CPCB/ HSPCB, whichever is environmentally better. Project Proponent shall implement such STP technology which does not require filter backwash.
- [c] Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done.

ensuring that the re-circulated water should have BOD level less than 5 mg/litre and the recycled water will be used for flushing, gardening and DG set cooling etc.

- [d] For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.
- [e] Diesel power generating sets proposed as source of back-up power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets shall be in the basement as promised by the project proponent with appropriate stack height above the highest roof level of the project as per the CPCB norms. The diesel used for DG sets shall be ultra low sulphur diesel (35 ppm sulphur), instead of low sulphur diesel.
- [f] Ambient Noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the Proposed Institutional Campus & Residential Township.
- [g] The project proponent as stated in the proposal shall maintain at least 32% for the institutional campus and 30.08% for residential township as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species which can provide protection against noise and suspended particulate matter. The open spaces inside the project shall be preferably landscaped and covered with vegetation/grass, herbs & shrubs. Only locally available plant species shall be used.
- [h] The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.
- [i] The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- [j] A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the SEIAA, Haryana in three months time.
- [k] Energy conservation measures like installation of LED only for lighting the areas outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum energy conservation.
- [l] The Project Proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project Proponent shall also provide halon free fire suppression system.

- [m] The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be treated by appropriate technology at the site ear-marked within the project area and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- [n] The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.
- [o] The traffic plan and the parking plan proposed by the Project Proponent should be meticulously adhered to with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used.
- [p] The Project shall be operationalized only when HUDA/local authority will provide domestic water supply system in the area.
- [q] Operation and maintenance of STP, solid waste management and electrical Infrastructure, pollution control measures shall be ensured even after the completion of project.
- [r] Different type of wastes should be disposed off as per provisions of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed of as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler / recycler as per existing E-waste Management Rules 2011.
- [s] Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.
- [t] The project proponent shall make provision for guard pond and other provisions for safety against failure in the operation of wastewater treatment facilities. The project proponent shall also identify acceptable outfall for treated effluent.
- [u] The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per CPCB latest standards for high capacity DG sets.
- [v] All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.
- [w] The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.

- [x] The project proponent shall not use fresh water for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.
- [y] The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.
- [z] Water supply shall be metered among different users and different utilities.
- [aa] The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.
- [ab] The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.
- [ac] The project proponent shall provide additional green area on terrace and roof top.
- [ad] The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/(ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.
- [ae] The project proponent shall install solar panel for energy conservation.

PART-B. GENERAL CONDITIONS:

- [i] The Project Proponent shall ensure the commitments made in Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.
- [ii] The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the northern Regional Office of MoEF, the respective Zonal Office of CPCB, HSPCB and SEIAA Haryana.

एल आर जंगरा / L R JANGRA

अध्यक्ष, समन्वय प्रभाग / Head Co-ordination Division

जी.ओ.एस.डी.बी.सी. / G.O.S.D.B.S.I.


भारत सरकार, पर्यावरण विभाग, भारत / Ministry of Environment, Government of India, S.A.R.C

पृष्ठ संख्या / Page No.

- [iii] STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3 (three) months, the project proponent shall conduct environmental audit and shall take corrective measure, if required, without delay.
- [iv] The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary. Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.
- [v] The Project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.
- [vi] All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972, Forest Act, 1927, PLPA 1900, etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.
- [vii] The Project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of Environment Clearance conditions shall also be put on project proponent's web site for public awareness.
- [viii] Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.
- [ix] Any appeal against the this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- [x] The project proponent shall put in place Corporate Environment Policy as mentioned in MoEF, Govt OM No. J-11013/41/2006-IA II (I) dated 26.4.2012 within 3 months period. Latest Corporate Environment Policy should be submitted to SEIAA within 3 months of issuance of this letter.
- [xi] The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF, Govt under rules prescribed for Environment Audit.
- [xii] The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.

एल आर जॉंगडा / L. R. JANGRA
 अध्यक्ष, संयोजक विभाग / Head Coordination Division
 जी सी एन डी सी, पी एच डी / J.C.N.D.S.P.
 भारत सरकार, नई दिल्ली / Govt of India, N.D.C.
 मुंबई - 400 085 / Mumbai - 400 085

- [xiii] The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid 'Pollution Under Control' certificate from competent Authority.
- [xiv] The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.
- [xv] Nodal Officer (Project Director) nominated by GCNEP shall be responsible for implementation of all conditions of Environmental Clearance letter.
- [xvi] The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; $PM_{2.5}$, PM_{10} , SO_x , NO_x , Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- [xvii] The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- [xviii] The project proponent shall conduct environment audit at every three months interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.



Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.



Endst. No. SEIAA/HR/2014

Dated:

A copy of the above is forwarded to the following:

1. The Additional Director (IA Division), MOEF, GOI, Indra Paryavaran Bhavan, Zor bagh Road-New Delhi.
2. The Regional office, Ministry of Environment & Forests, Govt. of India, Sector 31, Chandigarh.
3. The Chairman, Haryana State Pollution Control Board, Pkl.

Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula



एल आर जंगरा / L.R. JANGRA
अध्यक्ष, समन्वय प्रभाग / Head Co-ordination Division
जी सी एन ई पी, डी पी ई / GCNEP, DAE
भारत सरकार, जी ए आर सी / Govt. of India, B.A.R.C
पुणे-400 005 (A/Unit-5)-400 005

ANNEXURE XXIII STORAGE OF DIESEL

